Appendice H Schede Tecniche / Sicurezza Sostanze per la Preparazione dei Fanghi di Perforazione Doc. No. P0012454-1-H5 Rev.3 - Novembre 2020





CEBOGEL OCMA

Use

For the production of drilling fluid for horizontal directional drilling. CEBOGEL OCMA is an all-round drilling product that is particularly suitable for machines with a tractive power from approximately 30 tons upwards. Production of drilling fluid for soil drilling.

For optimal efficiency the **mixing water** of the slurry should have the following properties:

Description

The basis for CEBOGEL OCMA is an activated sodium bentonite. CEBOGEL OCMA complies with the OCMA specifications as laid down for oil drilling and is also KIWA certified.

Advantages

- Stabilises the borehole
- Improves the discharge of drilling waste
- Reduces torsion
- Easy to recycle
- Outstanding price quality ratio
- Certified according to KIWA-ATA, therefore safe for use in drinking water areas.

Specification

Complies with the specifications for bentonite as drawn up by the "Oil Companies Materials Association DFCP-4.

Is supplied with KIWA certificate for Toxicological aspects (ATA), which guarantees a 100 % environmentally-friendly product.

Parameter	Method	Requirement	Typical Value
Yield	ocma DFCP-4	≥ 16.0 m ³ /ton	17.4 m ³ /ton
API Filtrate water loss	ocma DFCP-4	≤ 15 ml	13 ml
Dry sieve analysis through 150 µm	ocma DFCP-4	≥ 98 %	99 %

Cebo Holland BV Westerduinweg 1 NL-1976 BV IJMUIDEN P.O. Box 70 NL-1970 AB IJMUIDEN

Tel.: +31 255546262 Fax: +31 255546202 e-mail : <u>sales@ceboholland.com</u> www.ceboholland.com

In so far as we can ascertain the above-stated information is correct. However, we are unable to provide any guarantees with regard to the results that you will achieve with this. This specification is provided on the condition that you determine yourself to what degree it is suitable for your purposes.



Parameter	Method	Requirement	Typical Value
Wet sieve analysis 75 µm	ocma DFCP-4	≤ 2.5 %	2 %
Moisture content	ocma DFCP-4	≤ 15.0 %	9.8 %

Chemical and physical properties

Composition	High-quality activated sodium bentonite
Colour	Yellow beige
Form	Soft powder

Slurry properties

CEBOGEL OCMA mixed with distilled water in various concentrations.

Parameter	Method	30 kg/m ³	40 kg/m ³	50 ka/m ³	60 kg/m ³
Liquid limit ball number	Kugelharfengerät DIN 4126	1	1	2	4
Density	Mud balance	1.02 g/ml	1.03 g/ml	1.03 g/ml	1.04 g/ml
Filtrate water loss	DIN 4127	15.5 ml	13 ml	10 ml	8 ml
Marsh funnel API	API RP 13B 2 (1 litre outflow)	31 s	38.5 s	46 s	54 s

Packaging

- 1000 kg packed in 25 kg bags on a pallet with shrink film
- 1400 kg packed in 50 kg bags on a pallet with shrink film

Revision date : 01.02.2005

Document no : OC01IP

• 1000 kg big bags

• bulk

Cebo Holland BV Westerduinweg 1 NL-1976 BV IJMUIDEN P.O. Box 70 NL-1970 AB IJMUIDEN

Tel.: +31 255546262 Fax: +31 255546202 e-mail : <u>sales@ceboholland.com</u> www.ceboholland.com

In so far as we can ascertain the above-stated information is correct. However, we are unable to provide any guarantees with regard to the results that you will achieve with this. This specification is provided on the

condition that you determine yourself to what degree it is suitable for your purposes.



Soda Ash

Specialty Chemical

Description	Soda Ash is a white, granular powder primarily used to condition and soften make-up water and raise pH			
Applications/Functions	Treat out hardness due to calcium in make-up waterRaise pH			
Advantages	carbonate	Eliminate calcium ions by removing them as insoluble calcium carbonate Maximize the performance of bentonite and polymer product		
Typical Properties	 Appearance pH of 5% solut Bulk density, lb 			
Recommended Treatment		Hardness and pH levels of make-up water should be checked prior to addition of Soda Ash.		
		da Ash should always be done prior to addition of blymer to the fluid system.		
	 Soda Ash shou components. 	Soda Ash should not be added at the same time as other drilling fluid components.		
	-	When treating make-up water pH ranges should be maintained between 8.5 – 9.5		
	General Treat	ment:		
		r 100 gallons of make-up water or 1.2-2.4 kilograms er of make-up water.		
	overtreatment	d to remove calcium ions but do not add in excess as can lead to detrimental effects and reduced f the drilling fluid components and/or system.		
	 Mix slowly thro speed stirrer. 	 Mix slowly through a jet mixer or sift slowly into the vortex of a high- speed stirrer. 		

© Copyright 2006 Halliburton

Rev. 2/2006 · IDP 055

Because the conditions of use of this product are beyond the seller's control, the product is sold without warranty either express or implied and upon condition that purchaser make its own test to determine the suitability for purchaser's application. Purchaser assumes all risk of use and handling of this product. This product will be replaced if defective in manufacture or packaging or if damaged. Except for such replacement, seller is not liable for any damages caused by this product or its use. The statements and recommendations made herein are believed to be accurate. No guarantee of their accuracy is made, however.

Packaging	Soda Ash is packaged in paper bags.	50-lb (22.7 kg) or 100-lb (45.4	kg) multiwall
Availability	Soda Ash can be purchased through any Baroid Industrial Drilling Products Distributor. To locate the Baroid IDP distributor nearest you contact the Customer Service Department in Houston or your area IDP Sales Representative.		
	Produ	Industrial Drilling Products ct Service Line, Halliburton) N. Sam Houston Pkwy. E. Houston, TX 77032	
	Customer Service	(800) 735-6075 Toll Free	(281) 871-4612
	Technical Service	(877) 379-7412 Toll Free	(281) 871-4613

HALLIBURTON

SAFETY DATA SHEET DEXTRID® E

according to Regulation (EC) No. 2015/830

Revision Date: 10-Dec-2019 Preparation Date 10-Dec-2019 Revision Number: 23 Internal ID Code HM003613

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name	DEXTRID® E
Internal ID Code	HM003613

1.2. Relevant identified uses of the substance or mixture and uses advised against		
Recommended Use	Fluid Loss Additive	
Sector of uses	SU2 - Mining, (including offshore industries)	
Product category(ies)	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific	
Process categories	PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises	
Uses advised against	Consumer use	

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services Halliburton House, Howemoss Place Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom +44 1224 776888

www.halliburton.com <u>For further information, please contact</u> **E-mail Address:** <u>14. Emergency telephone number</u> +44 8 08 189 0979 / 1-760-476-3961 Global Incident Response Access Code: 334305 Contract Number: 14012

Emergency telephone - Article 45 -	(EC)1272/2008
Austria	Poison Information Centre (AT): +43-(0)1-406 43 43
Belgium	Poison center (BE): +32 70 245 245
Bulgaria	Bulgarian poison centre: +359 2 915-44-09 or +359 2 915-43-46
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) -
	Institute for Medical Research and Occupational Health)
Cyprus	1401; +357 22 88 7171
Czech Republic	+420 224 919 293; +420 224 915 402
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Estonia	16662 (Local Poison Information Centre); (+372) 626 93 90 (International Poison
	Information Centre)
Europe	112
Finland	Poison Information Centre (FI):+358 9 471 977
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Greece	+30 210 779 3777
Hungary	+36 (06) 80 201-199
Latvia	(+371) 67042473 (International number for the National Toxicology Centre)
Ireland	National Poisons Information Centre (IE): +353 1 8379964
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only

SAFETY DATA SHEET DEXTRID® E according to Regulation (EC) No. 2015/830

	available to health professionals)	
Norway	Poisons Information (NO):+ 47 22 591300	
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97	
Portugal	CIAV - Centro de Informação Antivenenos (Portuguese Poison Centre): + 351 213 303 271	
Romania	+40 21 318 36 06	
Spain	Poison Information Service (ES): +34 91 562 04 20	
Sweden	Poisons Information Center (SV):+46 8 33 12 31	
Switzerland	Poison Center: Tel 145; +41 44 251 51 51	
Turkey	Ulusal Zehir Danisma Merkezi (UZEM) :114 Acil Saglik Hizmetleri : 112	
United Kingdom	NHS Direct (UK): +44 0845 46 47	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Hazard Pictograms

Signal Word:

None

Hazard Statements: Not Classified

Precautionary Statements: None

Contains Substances

Contains no hazardous substances in concentrations above cut-off values according to the competent authority

2.3. Other Hazards

Dust can form an explosive mixture in air This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

CAS Number

NA

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH Reg. No
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	NA	60 - 100%	Not classified	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin Ingestion	Wash with soap and water. Get medical attention if irritation persists. Under normal conditions, first aid procedures are not required.

4.2. Most important symptoms and effects, both acute and delayed

No significant hazards expected.

4.3. Indication of any immediate medical attention and special treatment neededNotes to PhysicianTreat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. Extinguishing media which must not be used for safety reasons None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards in a fire

Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential. Decomposition in fire may produce harmful gases.

5.3. Advice for firefighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid creating or inhaling dust. Avoid dust accumulations. Ensure adequate ventilation. Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment. **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Store in a cool, dry location. Product has a shelf life of 36 months.

7.3. Specific end use(s) Exposure scenario **Other Guidelines**

No information available No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits					
Substances	CAS Number	EU	UK	Netherlands	France
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable
substances in					
concentrations above					
cut-off values according to					
the competent authority					

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Contains no hazardous substances in	NA	Not applicable	Not applicable	Not applicable	Not applicable
concentrations above cut-off values according to					
the competent authority					

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable
substances in concentrations					
above cut-off values					
according to the competent					
authority					

Derived No Effect Level (DNEL) Worker

No information available

General Population

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Controls Use in a well ventilated area. If engineering controls and work practices cannot prevent excessive exposures, the Personal protective equipment selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product. Not normally needed. But if significant exposures are possible then the following **Respiratory Protection** respirator is recommended: Dust/mist respirator. (N95, P2/P3)

Hand Protection

Normal work gloves.

Skin Protection	Normal work coveralls.
Eye Protection	Wear safety glasses or goggles to protect against exposure.
Other Precautions	None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State: Powder	Color	White to Off white
Odor: Starch	Odor	No information available
	Threshold:	
Property	Values	
Remarks/ - Method		
pH:	7.1	
Freezing Point / Range	No data available	
Melting Point / Range	No data available	
Pour Point / Range	No data available	
Boiling Point / Range	No data available	
Flash Point	No data available	
Flammability (solid, gas)	No data available	
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Evaporation rate	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	
Specific Gravity	1.5	
Water Solubility	Soluble in water	
Solubility in other solvents	No data available	
Partition coefficient: n-octanol/water	No data available	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties	No information av	
Oxidizing Properties	No information av	ailable
9.2. Other information		
VOC Content (%)	No data available	
Bulk Density	30-44 lbs/ft3	

SECTION 10: Stability and reactivity

10.1. Reactivity Not expected to be reactive.

10.2. Chemical stability Stable

10.3. Possibility of hazardous reactions Will Not Occur

10.4. Conditions to avoid Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

SAFETY DATA SHEET DEXTRID® E according to Regulation (EC) No. 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological Acute Toxicity	effects
Inhalation	None known.
Eye Contact	May cause mechanical irritation to eye.
Skin Contact	None known.
Ingestion	None known.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No data available	No data available	No data available

Rat = Rat, Rabbit = Rabbit, dust = dust

SECTION 12: Ecological information

12.1. Toxicity

Substances	CAS	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to
	Number		-	Microorganisms	Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

growth rate = growth rate, similar substance = similar substance, activated sludge = activated sludge, reproduction = reproduction

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

12.3. Bioaccumulative potential

	CAS Number	Bioaccumulation
Contains no hazardous substances in	NA	No information available

SAFETY DATA SHEET DEXTRID® E according to Regulation (EC) No. 2015/830

concentrations above cut-off values according to	
the competent authority	

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations	NA	No information available
above cut-off values according to the competent		
authority		

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Contains no hazardous substances in concentrations above	Not applicable
cut-off values according to the competent authority	

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Contaminated Packaging Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations.

SECTION	14:	Transport	information
---------	-----	-----------	-------------

IMDG/IMO UN Number UN proper shipping name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
<u>ADN</u> UN Number UN proper shipping name: Packing Group Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable
<u>ADR/RID</u> UN Number UN proper shipping name: Packing Group Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable
IATA/ICAO UN Number UN proper shipping name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
14.1. UN Number 14.2. UN proper shipping name:	Not restricted Not restricted

<u>14.3.</u>

14.4. Packing Group Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories US TSCA Inventory

US TSCA Inventory All components listed on inventory or are exempt. Canadian Domestic Substances All components listed on inventory or are exempt. List (DSL)

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Denmark PR No.:

1305966

Germany, Water Endangering WGK 1: Low hazard to waters.

Classes (WGK)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable. Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Substances	CAS Number	Seveso III	TA LUFT
Contains no hazardous substances in	NA	Not applicable	Not applicable
concentrations above cut-off values			
according to the competent authority			

Substances	CAS Number	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3 None

Key or legend to abbreviations and acronyms used in the safety data sheet

bw – body weight CAS – Chemical Abstracts Service CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC – European Commission

SAFETY DATA SHEET DEXTRID® E

according to Regulation (EC) No. 2015/830

Revision Date: 10-Dec-2019 Preparation Date 10-Dec-2019 Revision Number: 23 Internal ID Code HM003613

EC10 – Effective Concentration 10% EC50 - Effective Concentration 50% EEC - European Economic Community ErC50 - Effective Concentration growth rate 50% IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 - Lethal Loading 0% LL50 – Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL – Occupational Exposure Limit PBT – Persistent Bioaccumulative and Toxic PC – Chemical Product category PEL - Permissible Exposure Limit ppm - parts per million PROC – Process category REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals STEL - Short Term Exposure Limit SU - Sector of Use category

Key literature references and sources for data www.ChemADVISOR.com/

Revision Date:	10-Dec-2019
Revision Note	
Not applicable	

This safety data sheet complies with the requirements of Regulation (EC) No. 2015/830

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet



SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

N-SEAL™

Revision Date: 21-Sep-2015

Revision Number: 21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name	N-SEAL™
Internal ID Code	HM003708

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Viscosifier
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories	PROC 26 - Handling of solid inorganic substances at ambient temperature

1.3. Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd. Halliburton House, Howemoss Crescent Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom

www.halliburton.com <u>For further information, please contact</u> **E-Mail address:** <u>1.4. Emergency telephone number</u> +44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture REGULATION (EC) No 1272/2008 Not classified

2.2. Label Elements

Not classified

Hazard Pictograms

Signal	Word
--------	------

None

Hazard Statements Not Classified

Precautionary Statements - EU (§28, 1272/2008) None

Contains Substances

CAS Number Contains no hazardous substances in concentrations above NA cut-off values according to the competent authority

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	NA	60 - 100%	Not applicable	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin Ingestion	Wash with soap and water. Get medical attention if irritation persists. Under normal conditions, first aid procedures are not required.

4.2. Most Important symptoms and effects, both acute and delayed No significant hazards expected.

4.3. Indication of any immediate medical attention and special treatment needed Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons None known.

5.2. Special hazards arising from the substance or mixture **Special Exposure Hazards**

Not applicable.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid creating and breathing dust. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment. **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry location.

7.3. Specific End Use(s)

Exposure Scenario Other Guidelines No information available No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Emmos					
Substances	CAS Number	EU	UK	Netherlands	France
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable
substances in					
concentrations above					
cut-off values according to					
the competent authority					
Derived No Effect Leve Worker	I (DNEL)	No	o information availab	le.	
General Population					
Predicted No Effect Co	ncentration (PNEC) No	o information availab	le.	
8.2. Exposure controls					
Engineering Controls	Use in	a well ventilated area	а.		
Personal protective e	equipment				
If engineering control protective equipment application of this pro	ls and work practice should be determin				
Respiratory Protect	respira	rmally needed. But if tor is recommended: hist respirator. (N95, F		es are possible then	the following
Hand Protection		I work gloves.			
Skin Protection		l work coveralls.			
Eve Protection		safety glasses or gog	ales to protect again	st avnosura	
Other Precautions	None	, , , , , , , , , , , , , , , , , , , ,	gies to protect again	si exposuie.	
	NOTE	NIOWII.			

Environmental Exposure Controls Do not allow material to contaminate ground water system

9.1. Information on basic physical and chemical properties

Physical State: fibers	Color: White to gray
Odor: Odorless	Odor Threshold: No information available
Property	Values
Remarks/ - Method	
pH:	No data available
Freezing Point/Range	No data available
Melting Point/Range	No data available
Boiling Point/Range	No data available
Flash Point	No data available
Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	2.6
Water Solubility	Insoluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available
9.2. Other information	
VOC Content (%)	No data available
Bulk Density	12-26 lbs/ft3

SECTION 10: Stability and Reactivity

 10.1. Reactivity

 Not expected to be reactive.

 10.2. Chemical Stability

 Stable

 10.3. Possibility of Hazardous Reactions

 Will Not Occur

 10.4. Conditions to Avoid

 None anticipated

 10.5. Incompatible Materials

 Strong acids.

 10.6. Hazardous Decomposition Products

 Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects Acute Toxicity Inhalation None known. Eye Contact May cause mechanical irritation to eye. Skin Contact May cause mechanical skin irritation. Ingestion None known. Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are

chronic health hazards.

Toxicology data for the components

	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No data available	No data available	No data available

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

	CAS	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to
	Number			Microorganisms	Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		

the competent authority

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

<u>12.5. Results of PBT and vPvB assessment</u> This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods **Disposal Method Contaminated Packaging**

Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
<u>RID</u>	
UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
ADR	
UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
ΙΑΤΑ/ΙCΑΟ	
UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
14.1. UN Number:	Not restricted
14.2. UN Proper Shipping Name:	Not restricted
14.3. Transport Hazard Class(es):	Not applicable

14.4. Packing Group:

Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories	
EINECS Inventory	This product, and all its components, complies with EINECS
US TSCA Inventory	All components listed on inventory or are exempt.
Canadian DSL Inventory	All components listed on inventory or are exempt.
-	

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 0: Generally not water endangering.

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3 None

Key or legend to abbreviations and acronyms

bw - body weight CAS - Chemical Abstracts Service CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC - European Commission EC10 - Effective Concentration 10% EC50 - Effective Concentration 50% EEC - European Economic Community ErC50 – Effective Concentration growth rate 50% IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 – Lethal Loading 0% LL50 – Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL - Occupational Exposure Limit PBT - Persistent Bioaccumulative and Toxic PC – Chemical Product category PEL – Permissible Exposure Limit ppm - parts per million PROC - Process category REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals STEL – Short Term Exposure Limit SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: Revision Note SDS sections updated: 1 21-Sep-2015

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet



SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

DIAMOND SEAL®

Revision Date: 16-Sep-2015

Revision Number: 19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name	DIAMOND SEAL®
Internal ID Code	HM003617

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Loss Circulation Material
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories	PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises

1.3. Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd. Halliburton House, Howemoss Crescent Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom

www.halliburton.com For further information, please contact E-Mail address: fdunexchem@halliburton.com 1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008			
Europe	112			
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)			
Cyprus	+210 7793777			
Denmark	Poison Control Hotline (DK): +45 82 12 12 12			
France	ORFILA (FR): + 01 45 42 59 59			
Germany	Poison Center Berlin (DE): +49 030 30686 790			
Italy	Poison Center, Milan (IT): +39 02 6610 1029			
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)			
Norway	Poisons Information (NO):+ 47 22 591300			
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97			
Romania	+40 21 318 36 06			
Spain	Poison Information Service (ES): +34 91 562 04 20			
United Kingdom	NHS Direct (UK): +44 0845 46 47			

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not classified

2.2. Label Elements Not classified

Hazard Pictograms

Signal Word

None

Hazard Statements Not Classified

Precautionary Statements - EU (§28, 1272/2008) None

Contains

Substances Contains no hazardous substances in concentrations above cut-off values according to the competent authority

CAS Number NA

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	NA	60 - 100%	Not applicable	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin	Wash with soap and water. Get medical attention if irritation persists.
Ingestion	Under normal conditions, first aid procedures are not required.

4.2. Most Important symptoms and effects, both acute and delayed No significant hazards expected.

 4.3. Indication of any immediate medical attention and special treatment needed

 Notes to Physician
 Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide, dry chemical, foam. Extinguishing media which must not be used for safety reasons None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce harmful gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Slippery when wet. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid creating or inhaling dust. Ensure adequate ventilation. Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Slippery when wet. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Store in a dry location.

7.3. Specific End Use(s)

Exposure Scenario Other Guidelines No information available No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Substances	CAS Number	EU	UK	Netherlands	France	
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable	
substances in						
concentrations above						
cut-off values according to						
the competent authority						

Substances	CAS Number	Germany	Spain	Portugal	Finland
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Contains no hazardous substances in	NA	Not applicable	Not applicable	Not applicable	Not applicable

cut-off values according to the competent authority	concentrations above			
the competent authority	cut-off values according to			
	the competent authority			

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable
substances in					
concentrations above					
cut-off values according to					
the competent authority					

Derived No Effect Level (DNEL) Worker

General Population

Predicted No Effect Concentration (PNEC)

No information available.

No information available.

8.2. Exposure controls Engineering Controls

A well ventilated area to control dust levels.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection	Not normally needed. But if significant exposures are possible then the following respirator is recommended:
	Dust/mist respirator. (N95, P2/P3)
Hand Protection	Normal work gloves.
Skin Protection	Normal work coveralls.
Eye Protection	Wear safety glasses or goggles to protect against exposure.
Other Precautions	None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State:	Solid	Color:	White
Odor:	Odorless	Odor Threshold:	No information available
_			
Property		Values	
Remarks/ - Meth	lod_		
pH:		4-11	
Freezing Point/F	5	No data available	
Melting Point/Ra	0	No data available	
Boiling Point/Ra	inge	No data available	
Flash Point		No data available	
Flammability (so	olid, gas)	No data available	
upper flamm	ability limit	No data available	
lower flamm	ability limit	No data available	
Evaporation rate	e	No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	,	1.4	
Water Solubility	,	Insoluble in water	
Solubility in oth	er solvents	No data available	
Partition coeffic	ient: n-octanol/water	No data available	
Autoignition Ter	mperature	No data available	
Decomposition	-	No data available	
Viscosity	-	No data available	
Explosive Prope	erties	No information ava	ailable
Oxidizing Prope		No information ava	ailable
U			
9.2. Other inform	nation		
VOC Content (%		No data available	
	-		

Bulk Density

40-50 lbs/ft3

SECTION 10: Stability and Reactivity

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity	
Inhalation	May cause mild respiratory irritation.
Eye Contact	May cause mild eye irritation.
Skin Contact	None known.
Ingestion	None known.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No data available	No data available	No data available

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

	CAS	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to
	Number			Microorganisms	Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method Contaminated Packaging Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
<u>RID</u> UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
<u>ADR</u> UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
IATA/ICAO UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
14.1. UN Number:	Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories EINECS Inventory US TSCA Inventory Canadian DSL Inventory

This product, and all its components, complies with EINECS All components listed on inventory or are exempt. All components listed on inventory or are exempt.

Legend

TSČA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering WGK 2: Hazard to waters. Classes (WGK)

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3 None

Key or legend to abbreviations and acronyms

bw - body weight CAS - Chemical Abstracts Service CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC – European Commission EC10 – Effective Concentration 10% EC50 - Effective Concentration 50% EEC – European Economic Community ErC50 – Effective Concentration growth rate 50% IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 – Lethal Loading 0% LL50 – Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL - Occupational Exposure Limit PBT - Persistent Bioaccumulative and Toxic PC - Chemical Product category PEL - Permissible Exposure Limit ppm - parts per million PROC – Process category REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit SU – Sector of Use category

Key literature references and sources for data www.ChemADVISOR.com/

Revision Date:16-Sep-2015Revision NoteSDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

Material Safety Data Sheet

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements. **U.S. Department of Labor** Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (as Used on Label and List)

BALLBUSTER BB-2 STICKS

Section I				
Manufacturer's name Expert's Choice, Inc.	Emergency Tel	ephone Number	512-657-9629	
Address (Number, Street, City, State and ZIP Code)	Telephone Nun	nber for Information	512-657-9629	
207 S Main	Date Prepared	January 10, 20	008	
Kemp, TX 75143	Signature of Pr	eparer <i>(optional)</i>		
Section II—Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Glycerin				
Sodium Stearate				
Sodium Palmate				
Walnut Grit (400 micron to 900 micron)				

THIS PRODUCT CONTAINS <u>NO HAZARDOUS COMPONENTS</u> UNDER CURRENT OSHA DEFINITIONS. THIS PRODUCT CONTAINS <u>NO</u> SARA SECTION 313 LISTED CHEMICALS. NOT DOT REGULATED.

Section III—Physical/Chemical Chara	cteristics			
Boiling Point	N/A	Specific Gravity (H ₂ 0 = 1)		1.26
Vapor Pressure (mm Hg)	N/A	Melting Point		112 Degrees F
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl A	cetate = 1)	N/A
Solubility in Water 100%		·		·
Appearance and Odor Brown Color. Wa	xy solid at room ten	nperature. In stick form.		
Section IV—Fire and Explosion Hazar	rd Data			
Flash Point (Method Used) N/A		Flammable Limits N/A	LEL N/A	^{UEL} N/A
Extinguishing Media N/A				
Special Fire Fighting Procedures N/A				
Unusual Fire and Explosion Hazards N/A				
(Reproduce locally)				OSHA 174 Sept. 1985

Section V—Reactivity Data				
Stability	Unstable		Conditions to Avoid	NONE
	Stable	Х		
Incompatibility (Materials to Avoid)	N/A	I		
Hazardous Decomposition or Byprod	ucts Carbon Mono	xide, Carbon D	ioxide, or Oxides o	of Nitrogen
Hazardous	May Occur		Conditions to Avoid	NONE
Polymerization				
	Will Not Occur	X		
Section VI—Health Hazard Data				
Route(s) of Entry	Inhalation? NO	Skin?	NO	Ingestion? NO
Health Hazards (Acute and Chronic)	NONE KNOWN			
Carcinogenicity	NTP? NO	IARC M	onographs? NO	OSHA Regulated? NO
Signs and Symptoms of Exposure	Mary agree alvia luuitati		dividuale	
	May cause skin Irritati	ions in some ir	Idividuals	
Medical Conditions				
	N/A			
Emergency and First Aid Procedures	For eye contact: FI	ush with water		
	<u> </u>			
Section VII—Precautions for Sa Steps to Be Taken in Case Material Is				
Wipe up, absorb on suit	able material or shove	el up and dispo	se of. Slippery wh	en wet.
Waste Disposal Method				
According to Local, Sta	to or Eodoral regulati	ione Landfill		
Precautions to Be Taken in Handling				
Store in a cool, dry plac	<u> </u>	htly alagad		
Other Precautions	ce. Reep container tig	ntry closed.		
Product is intended to be in	nserted inside drill nir		tions Precaution	s should be taken so as not to
injure hands or fingers.				
Section VII—Control Measures				
Respiratory Protection (Specify Type	⁾ None Necessary			
Ventilation Local Exhaust Su	fficient		Special N/A	
Mechanical (General			Other N/A	
Protective Gloves N/A		Eye Pro		
Other Protective Clothing or Equipme	ent N/A			
Work/Hygienic Practices Rince	after handling			
	<u> </u>			



Version number: GHS 1.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier **Barite** Identification of the substance Registration number (REACH) the substance is exempted from the obligation to register - REACH regulation, Annex V) - If available, the MsDs is supplemented by data from the REACH registration dossier of barium sulphate. EC number 231-784-4 CAS number 7727-43-7 Other means of identification Alternative name(s) STANDARD BARYTE SDS Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses industrial use Uses advised against consumer uses 1.3 Details of the supplier of the safety data sheet Cebo Holland BV Westerduinweg 1 1976 BV IJmuiden Netherlands Telephone: +31 (0) 255-546262 info@cebo.com www.cebo.com Competent person responsible for the safety data **HSEQ** Department sheet e-mail (competent person) msds@cebo.com 1.4 **Emergency telephone number** Emergency information service +31 (0) 255-546262 This number is only available during the following of-

Poison centre					
Country	Name	Telephone			
United Kingdom	National Poison Information Service (NPIS) For medical professionals only.	0844-8920111 (UK only)			

fice hours: 08:30 - 17:00

Date of compilation: 2015-10-22



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) not required

2.3 Other hazards

Depending on the type of handling and use (e.g. grinding, drying), airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Barite
EC number	231-784-4
CAS number	7727-43-7

Impurities and additives, classification acc. to EU regulation

Name of substance	Identifier	Wt%	Classification acc. to 1272/2008/EC
Crystalline silica (fine fraction)	CAS No 14808-60-7	≤ 1	STOT RE 1 / H372
	EC No 238-878-4		

Molecular formula

Ba.H2O4S 235.4 ^g/_{mol}

Molar mass

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Brush off loose particles from skin. - Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Date of compilation: 2015-10-22



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Date of compilation: 2015-10-22

Version number: GHS 1.0

Following ingestion

Rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect).

4.2 Most important symptoms and effects, both acute and delayed

The acute symptoms would cause pain in the eyes because of dust. No delayed effects are anticipated if first aid treatment is applied effectively.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder, co-ordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Warning and evacuating people in the neighbourhood. Ventilate affected area. Control of dust. Avoid contact with skin and eyes. Avoid inhalation of the product. Avoid breathing dust. Special danger of slipping by leak-ing/spilling product.

For emergency responders

Standard equipment for firefighters. Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains. - Take up mechanically.

Advices on how to clean up a spill

Take up mechanically. Collect spillage Vacuuming or wet sweeping may be used to avoid dust dispersal.

Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

Date of compilation: 2015-10-22

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Removal of dust deposits. Ground/bond container and receiving equipment. Avoid formation of dust.

Warning

Dust deposits may accumulate on all deposition surfaces in a technical room.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Minimise airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

7.3 Specific end use(s)

If you require advice on specific uses check the Good Practice Guide referred to in section 16.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
GB	dust		WEL		10			EH40/2005
GB	dust		WEL		4			EH40/2005
GB	barium sulphate	7727-43-7	WEL		10			EH40/2005
GB	barium sulphate	7727-43-7	WEL		4			EH40/2005
GB	silica, crystalline	7727-43-7	WEL		0.1			EH40/2005

Notation STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average



according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

Date of compilation: 2015-10-22

Relevant DNELs/DMELs/PNECs and other threshold levels

· human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

• environmental values

Endpoint	Threshold level	Organism	Environmental compart- ment	Exposure time
PNEC	115 μg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	62.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	600.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	207.7 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

Employ good industrial hygiene practice. If you require advice on specific uses check the Good Practice Guide referred to in section 16.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection. EN166

Skin protection

- hand protection
- Wear protective gloves.
- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Version number: GHS 1.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Date of compilation: 2015-10-22

SEC	CTION 9: Physical and chemical properties	s
9.1	Information on basic physical and chemi	cal properties
	Appearance	
	Physical state	solid (powder)
	Colour	different
	Odour	odourless
	Other physical and chemical parameters	
	pH (value)	
	Melting point/freezing point	1,580 °C
	Initial boiling point and boiling range	not determined
	Flash point	not applicable
	Evaporation rate	not determined
	Flammability (solid, gas)	
	Explosion limits of dust clouds	not determined
	Vapour pressure	not determined
	Density	not determined
	Relative density	Information on this property is not available.
	Solubility(ies)	
	- Water solubility	3.1 ^{mg} / _I at 20 °C
	Partition coefficient	
	- n-octanol/water (log KOW)	This information is not available.
	Auto-ignition temperature	not determined
	Viscosity	not relevant (solid matter)
	Explosive properties	none
	Oxidising properties	none
9.2	Other information	

9.2 Other information Of no significance.

SECTION 10: Stability and reactivity

10.1 Reactivity

this material is not reactive under normal ambient conditions

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.



according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Date of compilation: 2015-10-22

Version number: GHS 1.0

10.4 Conditions to avoid

Staubentwicklung gering halten und Verteilung durch Wind verhindern, beim Be- und Entladen. Behälter geschlossen halten und verpackte Produkte zu speichern, so dass versehentliche Bersten zu verhindern.

10.5 Incompatible materials

Do not store together with materials that may be affected by dust.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC. This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Method	Notes
oral	LD50	>20000 ^{mg} / _{kg}	rat		

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin. Bentonite is not irritating to skin (in vivo, OECD 404, rabbit). .

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant. Bentonite is not irritating to eye (in vivo, OECD 405, rabbit). Bentonite is classified as a mild irritant to eyes (according to the modified Kay & Calandra criteria).

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser. Bentonite is not a skin sensitiser in accordance with the local lymph node assay (OECD 429, mouse) .

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

The classification as germ cell mutagenic is based on

In vitro tests (OECD 471, 473 and 476) negative.

The classification as carcinogenic is based on

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003).

So there is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see section 16 below).



according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

Date of compilation: 2015-10-22

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

- Specific target organ toxicity single exposure Shall not be classified as a specific target organ toxicant (single exposure).
- Specific target organ toxicity repeated exposure

Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Exposure time
LC50	>3.5 ^{mg} / _l	fish	96 hours
ErC50	>1.15 ^{mg} / _l	algae	72 hours

Aquatic toxicity (chronic)

Endpoint	Value	Species	Exposure time
EC50	>1,000 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

The study does not need to be conducted because the substance is inorganic.

12.3 Bioaccumulative potential

The study does not need to be conducted because the substance is inorganic.

12.4 Mobility in soil

Insoluble.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential Not listed. None of the ingredients are listed.



according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

Date of compilation: 2015-10-22

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Please consider the relevant national or regional provisions.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information 14.1 UN number (not subject to tra

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es) Class
- 14.4 Packing group
- 14.5 Environmental hazards

(not subject to transport regulations)

not relevant

not relevant

NONE (non-environmentally hazardous acc. to the dangerous goods regulations)

- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- Restrictions according to REACH, Annex XVII not listed
- List of substances subject to authorisation (REACH, Annex XIV) not listed
 - None of the ingredients are listed.
- Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II not listed
- Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed



according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

Date of compilation: 2015-10-22

 Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD) not listed

15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
STOT RE	specific target organ toxicity - repeated exposure
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H372	causes damage to organs through prolonged or repeated exposure

Training advice

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers, .



according to Regulation (EC) No. 1907/2006 (REACH)

Baryte

Version number: GHS 1.0

Date of compilation: 2015-10-22

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

MATERIAL SAFETY DATASHEET

CEBODOL

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Product name Product type Supplier	MicrodolWeighting agentCebo Holland B.V.
Emergency telephone	Westerduinweg 4 1976 BV IJmuiden - (0)255546245

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name (IUPAC)	- Calcium-Magnesiumcarbonate
Customary name	- Dolomite
CAS Registration number	- 16389-88-1
R- and S- phrases	- None
EU Hazard symbol	-

3 HAZARDS IDENTIFICATION

Specific health risk	-
Safety hazards	-
Hazards for the environment	-

4 FIRST AID MEASURES

Symptoms and effects

FIRST AID:

Skin contact-No measures are requiredEye contact-Irrigate with plenty of waterIngestion-No measures are requiredInhalation-Remove to fresh airAdvice to physicians-

-

5 FIRE FIGHTING MEASURES

Extinghuishing media	- All media accepted
Unsuitable media	- None
Protective equipment	-
Special exposure hazards	-
NFPA-code	-

6 ACCIDENTAL RELEASE MEASURES

Environmental care Personal care	No known risksAvoid breathing dust
Cleaning methods	- Scoop up spilled product, flush rests with
	water

7 HANDLING AND STORAGE

Handling precautions	 Avoid dusting
Storage conditions	 Cool and dry

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls MAC value (mg/m ³)	-	10 (dust)
PERSONAL PROTECTION:		
Inhalation Hands Eyes Skin	- - -	Dustmask Goggles

9 PHYSICAL AND CHEMICAL PROPERTIES

10 STABILITY AND REACTIVITY

Stability	-	Stable
Conditions to avoid	-	None
Materials to avoid	-	Acids
Hazardous decomposition	-	When heated above 800 °C CO ₂ will be released

11 TOXICOLOGICAL INFORMATION

Acute toxicity	-	None known
Oral LD ₅₀ (rat)	-	No data
Ivn LD ₅₀ (rat)	-	

12 ECOLOGICAL INFORMATION

Ecotoxicity	 Naturally occurring substance presenting no known ecological hazards
Mobility	-
Accumilation	-
Degradation	-
Other effects	 Aquatic toxicity:
	TLm 96 > 1000 ppm

13 DISPOSAL CONSIDERATIONS

Landfill

14 TRANSPORT INFORMATION

Not regulated

15 REGULATORY INFORMATION

Labelling	-	No labelling required
E.U. number	-	240-440-2
R phrases	-	None
S phrases	-	None

16 OTHER INFORMATION

Uses and restricti Sources used	ons	- 1 2 3 4	Producers information
MSDS History	Document nr. Date Revised Signature	- - -	13 28-02-1996 12-02-2003

DISCLAIMER. The information contained in this data sheet is, to the best of our knowledge, true and accurate, but any recommendations or suggestions which may be made are without guarantee, since the conditions of use are beyond our control. Furthermore, nothing contained herein shall be contrued as a recommendation to use any product in conflict with existing patents covering any material or its use.

HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

CON DET®

Revision Date: 20-Dec-2012	Revision Number: 13			
1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
Product Identifier Product Name	CON DET®			
Relevant identified uses of the subst Recommended Use Uses Advised Against	ance or mixture and uses advised against Anionic Surfactant No information available			
Details of the supplier of the safety d Halliburton Manufacturing Ser Halliburton House, Howemos Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom	rvices, Ltd.			
Emergency Phone Number: www.halliburton.com For further information, please contact E-Mail address:	+44 1224 795277 or +1 281 575 5000 fdunexchem@halliburton.com			
Emergency telephone number +44 1224 795277 or +1 281 575	5000			
Emergency telephone §45 - (EC)1272				
Europe	112			
Denmark	Poison Control Hotline (DK): +45 82 12 12 12			
France	ORFILA (FR): + 01 45 42 59 59			
Germany	Poison Center Berlin (DE): +49 030 30686 790			
Italy	Poison Center, Milan (IT): +39 02 6610 1029			
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)			
Norway	Poisons Information (NO):+ 47 22 591300			
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97			
Spain	Poison Information Service (ES): +34 91 562 04 20			
United Kingdom	NHS Direct (UK): +44 0845 46 47			
	2. HAZARDS IDENTIFICATION			

Classification of the substance or mixture

Classification according to EU Directives 67/548/EEC or 1999/45/EC For the full text of the R-phrases mentioned in this Section, see Section 16

2. HAZARDS IDENTIFICATION

Symbol(s)

*	
Classification	Xi - Irritant.
Risk Phrases	R36/38 Irritating to eyes and skin.
Safety Phrases	 S25 Avoid contact with eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Hazard Overview

May cause eye and skin irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	EINECS	CAS Number	PERCENT	EEC Classification	EU - CLP Substance Classification	REACH No.
Isopropanol	200-661-7	67-63-0	1 - 5%	F; R11 Xi; R36 R67	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES Description of first aid measures Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes Eyes and get medical attention if irritation persists. Wash with soap and water. Skin Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek Ingestion medical attention. Never give anything by mouth to an unconscious person. Most Important symptoms and effects, both acute and delayed May cause eye and skin irritation.

Indication of any immediate medical attention and special treatment needed Treat symptomatically

Notes to Physician

5. FIREFIGHTING MEASURES

Extinguishing mediaó

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical. Extinguishing media which must not be used for safety reasons None known.

Special hazards arising from the substance of mixture

Special Exposure Hazards

Decomposition in fire may produce toxic gases.

Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. See Section 12 for additional information

Environmental precautions

Prevent from entering sewers, waterways, or low areas.

Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

Reference to other sections

See Section 12 for additional information.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Keep container closed when not in use. Product has a shelf life of 60 months.

Specific End Use(s)
Exposure Scenario
Other Guidelines

No information available No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters					
Substances	EU	UK OEL	Netherlands	France OEL	Germany MAK/TRK
Isopropanol	Not applicable	400 ppm	Not applicable	Not applicable	200 ppm

Substances	Italy	Poland	Hungary	Czech Republic	Denmark
Isopropanol	Not applicable	900 mg/m ³	500 mg/m³	500 mg/m ³	Not applicable

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC) No information available. No information available.

Exposure controls Engineering Controls Personal protective equipment

Use in a well ventilated area.

Respiratory Protection	Not normally needed. But if significant exposures are possible then the following respirator is recommended: Organic vapor respirator.
Hand Protection	Impervious rubber gloves.
Skin Protection	Normal work coveralls.
Eye Protection	Wear safety glasses or goggles to protect against exposure.
Other Precautions	None known.
Environmental Exposure Controls	No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on b	asic physical and chemical prope	ties			
Physical State:	Liquid	Color:	Transparent Red		
Odor:	Alcohol	Odor Threshold:	No information available		
Property		Values			
Remarks/ Method					
Melting Point/Ra	nge	No data available	No data available		
Freezing Point/R	ange (C):	-2.2			
Flash Point/Rai	nge (C):	99			
Flash Point Me	thod:	Not Determined			
Autoignition Te	emperature (C):	Not Determined	Not Determined		
Evaporation Ra	te (Butyl Acetate=1):	Not Determined	Not Determined		
Vapor Pressure @ 20 C (mmHg):		Not Determined			
Vapor Density (Air=1):		Not Determined			
Specific Gravity @ 20 C (Water=1):		1.025			
Density @ 20 C (kg/l):		1.025			
Solubility in Wa	ater (g/100ml):	Soluble			
Solubility in othe	er solvents	No data available			
Partition Coeffi	cient/n-Octanol/Water:	Not Determined			
Decomposition Temperature (C):		Not Determined	Not Determined		
Viscosity		No data available			
Explosive Proper	rties	No information ava	ilable		
Oxidizing Proper	ties	No information ava	ilable		

Other information Molecular Weight (g/mole): VOC Content (%)

Not Determined No data available

10. STABILITY AND REACTIVITY

 Reactivity

 Not applicable

 Chemical Stability

 Stable

 Possibility of Hazardous Reactions

 Will Not Occur

 Conditions to Avoid

 None anticipated

 Incompatible Materials

 Strong oxidizers.

 Hazardous Decomposition Products

 Carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

	11. TOXICOLOGICAL INFORMATION
Acute Toxicity	
Inhalation	May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
Eye Contact Skin Contact Ingestion	May cause mild eye irritation. Causes drying of the skin. May cause mild skin irritation. May cause abdominal pain, vomiting, nausea, and diarrhea.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.

Substances	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropanol	4396 mg/kg	12870 mg/kg	72.6 mg/l

12. ECOLOGICAL INFORMATION

Toxicity **Ecotoxicity Effects**

Substances	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropanol	EC50: > 1000 mg/l(Desmodesmus subspicatus)	LC50: 9640 mg/l (Pimephales promelas)	No information available	EC50: 13299 mg/l (Daphnia magna)

Persistence and degradability

No information available

Bioaccumulative potential

No information available

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available.

Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. DISPOSAL CONSIDERATIONS

Waste treatment methods **Disposal Method Contaminated Packaging**

Disposal should be made in accordance with federal, state, and local regulations. Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

IMDG/IMO

14. TRANSPORT INFORMATION

	UN Number: UN Proper Shipping Name: Transport Hazard Class(es):	Not restricted. Not restricted Not applicable
RID		
	UN Number:	Not restricted.
	UN Proper Shipping Name:	Not restricted
	Transport Hazard Class(es):	Not applicable
ADR		
	UN Number:	Not restricted.
	UN Proper Shipping Name:	Not restricted
	Transport Hazard Class(es):	Not applicable

IATA/ICAO

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable

 Special Precautions for User
 None

 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory	This product, and all its components, complies with EINECS
US TSCA Inventory	All components listed on inventory or are exempt.
Canadian DSL Inventory	All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 1: Low hazard to waters.

Chemical Safety Assessment No information available

Classification of the substance or mixture

Classification according to EU Directives 67/548/EEC or 1999/45/EC For the full text of the R-phrases mentioned in this Section, see Section 16

Symbol(s)

	16. OTHER INFORMATION
Hazard Overview	May cause eye and skin irritation.
Safety Phrases	S25 Avoid contact with eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
Risk Phrases	R36/38 Irritating to eyes and skin.
Classification	Xi - Irritant.
×	

Full text of R-phrases referred to under Sections 2 and 3

F - Highly Flammable.
Xi - Irritant.
R11 Highly flammable.
R36 Irritating to eyes.
R67 Vapours may cause drowsiness and dizziness.

Key literature references and sources for data www.ChemADVISOR.com/

Revision Date:20-Dec-2012Revision NoteNot applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet



SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

NO-SAG®

Revision Date: 21-Sep-2015

Revision Number: 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name	NO-SAG®
Internal ID Code	HM003705

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Viscosifier
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories	PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises

1.3. Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd. Halliburton House, Howemoss Crescent Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom

www.halliburton.com <u>For further information, please contact</u> **E-Mail address: fdunexchem@halliburton.com 1.4. Emergency telephone number fdunexchem@halliburton.com**

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008			
Europe	112			
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)			
Cyprus	+210 7793777			
Denmark	Poison Control Hotline (DK): +45 82 12 12 12			
France	ORFILA (FR): + 01 45 42 59 59			
Germany	Poison Center Berlin (DE): +49 030 30686 790			
Italy	Poison Center, Milan (IT): +39 02 6610 1029			
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)			
Norway	Poisons Information (NO):+ 47 22 591300			
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97			
Romania	+40 21 318 36 06			
Spain	Poison Information Service (ES): +34 91 562 04 20			
United Kingdom	NHS Direct (UK): +44 0845 46 47			

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not classified

2.2. Label Elements Not classified

Hazard Pictograms

Signal Word

None

Hazard Statements Not Classified

Precautionary Statements - EU (§28, 1272/2008) None

Contains

Substances Contains no hazardous substances in concentrations above cut-off values according to the competent authority

CAS Number NA

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	NA	60 - 100%	Not applicable	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin	Wash with soap and water. Get medical attention if irritation persists.
Ingestion	Under normal conditions, first aid procedures are not required.

4.2. Most Important symptoms and effects, both acute and delayed No significant hazards expected.

 4.3. Indication of any immediate medical attention and special treatment needed

 Notes to Physician
 Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. Extinguishing media which must not be used for safety reasons None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential. Decomposition in fire may produce harmful gases.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid creating or inhaling dust. Avoid contact with eyes, skin, or clothing. Ensure adequate ventilation. Slippery when wet. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Store in a cool, dry location.

7.3. Specific End Use(s)

Exposure Scenario Other Guidelines No information available No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits					
Substances	CAS Number	EU	UK	Netherlands	France
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Contains no hazardous substances in	NA	Not applicable	Not applicable	Not applicable	Not applicable

cut-off values according to the competent authority	concentrations above			
the competent authority	cut-off values according to			
	the competent authority			

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable
substances in					
concentrations above					
cut-off values according to					
the competent authority					

Derived No Effect Level (DNEL) Worker

General Population

Predicted No Effect Concentration (PNEC)

No information available.

No information available.

8.2. Exposure controls Engineering Controls

Use in a well ventilated area.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection	Not normally needed. But if significant exposures are possible then the following respirator is recommended: Dust/mist respirator. (N95, P2/P3)
Hand Protection	Normal work gloves.
Skin Protection	Normal work coveralls.
Eye Protection	Wear safety glasses or goggles to protect against exposure.
Other Precautions	None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Solid	Color: White to yellow
Odor: Slight	Odor Threshold: No information available
Property	Values
Remarks/ - Method	
pH:	7
Freezing Point/Range	No data available
Melting Point/Range	No data available
Boiling Point/Range	No data available
Flash Point	No data available
Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.5
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	204 °C / 400 °F
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available
• .	
9.2. Other information	
Molecular Weight	100000
-	

VOC Content (%)

No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity_
Not expected to be reactive.10.2. Chemical Stability
Stable10.3. Possibility of Hazardous Reactions
Will Not Occur10.4. Conditions to Avoid
None anticipated10.5. Incompatible Materials
Strong oxidizers.10.6. Hazardous Decomposition Products
Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicologica Acute Toxicity	I Effects
Inhalation	May impede respiration.
Eye Contact	May cause mild eye irritation.
Skin Contact	None known.
Ingestion	None known.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No data available	No data available	No data available

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
	NA	No information available
concentrations above cut-off values according to		
the competent authority		

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method Contaminated Packaging Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
<u>RID</u> UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
ADR UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
IATA/ICAO UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
14.1. UN Number:	Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories EINECS Inventory US TSCA Inventory Canadian DSL Inventory

This product, and all its components, complies with EINECS All components listed on inventory or are exempt. All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK) WGK 0: Generally not water endangering.

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3 None

Key or legend to abbreviations and acronyms

bw - body weight CAS - Chemical Abstracts Service CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC - European Commission EC10 – Effective Concentration 10% EC50 - Effective Concentration 50% EEC – European Economic Community ErC50 – Effective Concentration growth rate 50% IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 – Lethal Loading 0% LL50 – Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL – Occupational Exposure Limit PBT - Persistent Bioaccumulative and Toxic PC - Chemical Product category PEL - Permissible Exposure Limit ppm - parts per million PROC - Process category REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals STEL – Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data www.ChemADVISOR.com/

Revision Date:21-Sep-2015Revision Note21-Sep-2015SDS sections updated: 11

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet



(Complies with OSHA's Hazard Communication Standard, 29 CFR 1910.1200)



CEMEX, INC. 920 Memorial City Way, SUITE 100 HOUSTON, TEXAS 77024

Section 1 - IDENTIFICATION

Supplier/Manufacturer	Emergency Contact Information
CEMEX, Inc. 920 Memorial City Way, Suite 100 Houston, Texas 77024	(713) 650-6200
Product name and synonyms	
Calcium Sulfate Dihydrate, Gypsum Stone, Hydrated Calcium Sulfate, Mineral White	
Chemical family	Formula
Limestone/Dolomite (CAS #13397-24-5)	$CaSO_4 - 2H_2O$
Section 2 - COMPONENTS	
Hazardous Ingredients	

Respirable quartz (CAS# 14808-60-7) – greater than 0.1% by weight ACGIH TLV-TWA (2006) = 0.025 mg respirable quartz dust/m³ OSHA PEL (8-hour TWA) = (10 mg respirable dust/m³/(percent silica + 2) NIOSH REL (8-hour TWA) = 0.05 mg respirable dust/m³

Section 3 - HAZARD IDENTIFICATION

Potential Health Effects

Relevant Routes of Exposure:

Eye contact, skin contact, inhalation, and ingestion.

Effects Resulting from Eve Contact:

Exposure to airborne dust may cause immediate or delayed irritation or inflammation. Eye contact by large amounts of dry powder or splashes of wet gypsum dust may cause eye irritation. Such exposures may require immediate first aid (see Section 4) and medical attention to prevent damage to the eye.

Effects Resulting from Skin Contact:

Direct contact may cause irritation by mechanical abrasion.

Effects Resulting from **Inhalation**:

Gypsum may contain trace amounts of free crystalline silica. Prolonged exposure to respirable free silica can aggravate other lung conditions and cause silicosis, a disabling and potentially fatal lung disease.

Exposure to gypsum dust may cause irritation to the moist mucous membranes of the nose, throat, and upper respiratory system. It may also leave unpleasant deposits in the nose.

Effects Resulting from Ingestion:

Although small quantities of dust are not known to be harmful, ill effects are possible if larger quantities are consumed.

Carcinogenic potential:

Limestone is **not** listed as a carcinogen by NTP, OSHA, or IARC. It may however, contain trace amounts of substances listed as carcinogens by these organizations.

Crystalline silica, which is a component of limestone, is now classified by IARC as known human carcinogen (Group I). NTP has characterized respirable silica as "reasonably anticipated to be [a] carcinogen".

Pre-existing upper respiratory and lung diseases.

Section 4 - FIRST AID

Eyes

Immediately flush eyes thoroughly with water. Continue flushing eye for at least 15 minutes, including under lids, to remove all particles. Call physician if irritation persists or later develops.

<u>Skin</u>

Wash skin with cool water and pH-neutral soap or a mild detergent. Seek medical treatment if irritation persists or later develops.

Inhalation of Airborne Dust

Remove to fresh air. Seek medical help if coughing and other symptoms do not subside.

Ingestion

Do not induce vomiting. If conscious, have the victim drink plenty of water and call a physician immediately.

Section 5 - FIRE AND EXPLOSION DATA

Flash point	None	Lower Explosive Limit	None
Upper Explosive Limit	None	Auto ignition temperature	Not Combustible
Extinguishing media	Not Combustible	Special fire fighting Procedures	None
Hazardous combustion produ	ictsNone	Unusual fire and explosion hazards	None

Section 6 - ACCIDENTAL RELEASE MEASURES

Collect dry material using a scoop. Avoid actions that cause dust to become airborne. Avoid inhalation of dust and contact with skin. Wetting of spilled materials may be beneficial to minimize generation of airborne dusts.

None of the components of this product are subject to the reporting requirements of Title III of SARA 1986, and 40 CFR 372.

Section 7 - HANDLING AND STORAGE

Follow the personal protection and controls set forth in Section 8 of this MSDS when handling this product. Respirable crystalline silica-containing dust may be generated during processing, handling and storage.

Section 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Skin Protection

Wash dust-exposed skin with soap and water before eating, drinking, smoking, and using the toilet facilities. Wash work cloths after each use.

Respiratory Protection

Avoid actions that cause dust to become airborne. Use local or general exhaust ventilation to control exposures below applicable exposure limits.

Use NIOSH/MSHA approved (under 30 CFR 11) or NIOSH approved (under 42 CFR 84) respirators in poorly ventilated areas, if an applicable exposure limit is exceeded, or when dust causes discomfort or irritation. (Advisory: Respirators and filters purchased after June 10, 1998 must be certified under 42 CFR 84.)

Ventilation

Use local exhaust or general dilution ventilation to control exposure within applicable limits.

Eye Protection

Safety glasses with side shields should be worn as minimum protection. In extremely dusty environments and unpredictable environments wear unvented or indirectly vented goggles to avoid eye irritation or injury. Contact lenses should not be worn when working with products which may generate airborne dust.

Section 9 - PHYSICAL AND CHEMICAL, PROPERTIES

Odor.....No distinct odor Solubility in water...Negligible Vapor density.....Not applicable Melting point.....Not applicable Evaporation rate.....Not applicable Physical state......White or nearly white, odorless, crystalline solid Vapor pressure.....Not applicable Boiling point.....Not applicable (i.e., > 1000 C) Specific gravity (H20 = 1.0).....2.32

Section 10 - STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Avoid contact with incompatible materials (see below).

Incompatibility

Materials to avoid include; Aluminum (at high temperatures), Diazomethane.

Hazardous decomposition

Will not spontaneously occur. Silica-containing respirable dust particles may be generated by handling.

Hazardous Polymerization Will not occur.

Section 11 - TOXICOLOGICAL INFORMATION

For a description of available, more detailed toxicological information contact the supplier or manufacturer.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

No recognized unusual toxicity to plants or animals

Relevant physical and chemical properties

(See Sections 9 and 10.)

Section 13 - DISPOSAL

Pickup and reuse clean materials. Dispose of waste materials in accordance with applicable federal, state, and local laws and regulations.

Where applicable, dispose of bags in an approved landfill or incinerator.

Section 14 - TRANSPORTATION DATA

Hazardous materials description/proper shipping name

Not hazardous under U.S. Department of Transportation (DOT) regulations.

<u>Hazard class</u> Not applicable. Identification number Not applicable

Required label text Not applicable. Hazardous substances/reportable quantities (RQ) Not applicable.

Status under USDOL-OSHA Hazard Communication Rule, 29 CFR 1910.1200

Gypsum is considered a "hazardous chemical" under this regulation, and should be part of any hazard communication program.

Status under CERCLA/SUPERFUND 40 CFR 117 and 302 Not listed.

<u>Hazard Category under SARA(Title III), Sections 311 and 312</u> Gypsum qualifies as a "hazardous substance" with delayed health effects.

Status under SARA (Title III), Section 313

Not subject to reporting requirements under Section 313.

Status under TSCA (as of May 1997)

Some substances in gypsum are on the TSCA inventory list.

Status under the Federal Hazardous Substances Act

Gypsum is a "hazardous substance" subject to statutes promulgated under the subject act.

Status under California Proposition 65

This product contains up to 0.05 percent of chemicals (trace elements) known to the State of California to cause cancer, birth defects or other reproductive harm. California law requires the manufacturer to give the above warning in the absence of definitive testing to prove that the defined risks do not exist.

Section 16 - OTHER INFORMATION

Prepared by

Kevin Keegan Director - Health and Safety CEMEX, Inc. Houston, Texas

Approval date or Revision date

Approved: July 1998 Revised: January 2008

Other important information

This product should only be used by knowledgeable persons. While the information provided in this material safety data sheet is believed to provide a useful summary of the hazards this product as it is commonly used, the sheet cannot anticipate and provide the all of the information that might be needed in every situation. Inexperienced product users should obtain proper training before using this product.

SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY CEMEX, Inc. except that the product shall conform to contracted specifications. The information provided herein was believed by CEMEX, Inc. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product, and whether based on contract, breach of warranty, negligence, or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.



SAFETY DATA SHEET

1. Identification

Product identifier	HYDRAUL-EZ®	
Other means of identification	None.	
Recommended use	Not available.	
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.	
Manufacturer/Importer/Supplier/	/Distributor information	
Manufacturer		
Company name	CETCO, an MTI Company	
Address	2870 Forbs Avenue Hoffman Estates, IL 60192 United States	
Telephone	General Information 800 527-9948	
Website	http://www.cetco.com/	
E-mail	safetydata@mineralstech.com	
Emergency phone number		
Americas	1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 Access Code 333562, (Available 24 hours a day. SDS/Product information may not be available for the Emergency Services.)	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

This product contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for constituents are listed in Section 8.

4. First-aid measures	
Inhalation	If symptoms are experienced, remove source of contamination or move victim to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Not available.
Eye contact	Flush eyes immediately with large amounts of water.
Ingestion	Not available.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material can be slippery when wet.
Fire fighting equipment/instructions	In the event of fire, cool tanks with water spray.

Cool containers exposed to flames with water until well after the fire is out. Specific methods General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Material can be slippery when wet. Wear a dust mask if dust is generated above exposure limits. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Reduce airborne dust and prevent scattering by moistening with water.
Environmental precautions	No special environmental precautions required.
7 Handling and storage	

7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

8. Exposure controls/personal protection

Occ

cupational exposure limits US. OSHA Table Z-3 (29 CFR 1910.1000) Constituents	Turna	Value	Form
Constituents	Туре	Value	TOTIL
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
, , , , , , , , , , , , , , , , , , ,		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.

Constituents	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Constituents	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.		
Appropriate engineering controls	If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.		
Individual protection measure	es, such as personal protective equipm	ent	
Eye/face protection	Not available.		
Skin protection			
Hand protection	For prolonged or repeated skin conta	ct use suitable protective glove	δ.
Other	No special protective equipment requ	uired.	
Respiratory protection	Use a particulate filter respirator for p Exposure Limit.	particulate concentrations excee	ding the Occupational

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Powder. Granular. Pellets. or Chips.
Color	Various.
Odor	None.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Non-flammable
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Non-explosive
Flammability limit - upper (%)	Non-explosive
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00004 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.

Decomposition temperature	Not available.
Viscosity	45 - 50
	45 - 50
Other information	
Bulk density	54 lb/ft ³
Density	2.16 g/cm3 estimated
Percent volatile	0 % estimated
Specific gravity	2.6
VOC (Weight %)	CARB

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Not available.
Hazardous decomposition products	None known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Not available.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Toxicological data		
Constituents	Species	Test Results
QUARTZ (CAS 14808-60-7)		
<u>Acute</u>		
Oral		
LD50	Rat	500 mg/kg
* Estimates for product may be	e based on additional component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritatio	n.
Serious eye damage/eye irritation	Mild irritant to eyes (according to the modified Kay & Calandra criteria) Mild irritant to eyes (according to the modified Kay & Calandra criteria)	
Respiratory or skin sensitization	I	
Respiratory sensitization	Not available.	
Skin sensitization	According to the classification criteria of the Europea being a skin irritant.	n Union, the product is not considered as
Germ cell mutagenicity	No data available to indicate product or any compone mutagenic or genotoxic.	ents present at greater than 0.1% are
Carcinogenicity	In June 2003, SCOEL (the EU Scientific Committee of that the main effect in humans of the inhalation of res "There is sufficient information to conclude that the re- persons with silicosis (and, apparently, not in employ quarries and in the ceramic industry). Therefore, pre- the cancer risk" (SCOEL SUM Doc 94-final, June 2 worker protection against silicosis can be consistent regulatory occupational exposure limits. Occupational crystalline silica should be monitored and controlled.	spirable crystalline silica dust is silicosis. elative risk of lung cancer is increased in vees without silicosis exposed to silica dust in eventing the onset of silicosis will also reduce 2003) According to the current state of the art, y assured by respecting the existing

IARC Monographs. Overall I	Evaluation of Carcinogenicity	
QUARTZ (CAS 14808-60-7)		1 Carcinogenic to humans.
US. National Toxicology Pro	ogram (NTP) Report on Carcino	ogens
QUARTZ (CAS 14808-60	9-7)	Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)	
	that the main effect in humans "There is sufficient information persons with silicosis (and, ap quarries and in the ceramic ind the cancer risk" (SCOEL SU According to the current state assured by respecting the exis exposure to nuisance dust (tot	Scientific Committee on Occupational Exposure Limits) concluded of the inhalation of respirable crystalline silica dust is silicosis. to conclude that the relative risk of lung cancer is increased in parently, not in employees without silicosis exposed to silica dust in lustry). Therefore, preventing the onset of silicosis will also reduce M Doc 94-final, June 2003) of the art, worker protection against silicosis can be consistently ting regulatory occupational exposure limits. Occupational al and respirable) and respirable crystalline silica should be
	monitored and controlled.	

12. Ecological information

Ecotoxicity	This material is not expected to be harmful to aquatic life.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. Material should be recycled if possible.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information	1
US federal regulations	OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.
CERCLA Hazardous Substar Not listed.	nce List (40 CFR 302.4)
Superfund Amendments and Rea Hazard categories	authorization Act of 1986 (SARA) Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard Not listed.	ous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Total food additive Indirect food additive GRAS food additive
US state regulations	WARNING: This product contains a chemical known to the State of California to cause cancer.
QUARTZ (CAS 1480) US - Pennsylvania RTK	- Hazardous Substances: Listed substance
	d Substances. CA Department of Justice (California Health and Safety Code Section 11100)
Not listed. US. California. Candidat subd. (a))	e Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,
QUARTZ (CAS 1480 US. Massachusetts RTK	
QUARTZ (CAS 1480 US. New Jersey Worker	8-60-7) and Community Right-to-Know Act
Not regulated. US. Pennsylvania Worke	er and Community Right-to-Know Law
QUARTZ (CAS 1480) US. Rhode Island RTK	3-60-7)
Not regulated.	
	5 Vater and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain sted as carcinogens or reproductive toxins.
US - California Propositi	ion 65 - CRT: Listed date/Carcinogenic substance
QUARTZ (CAS 1480	8-60-7) Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	07-November-2014
Revision date	09-February-2016
Version #	13
Further information	This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
HMIS [®] ratings	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision Information	Product and Company Identification: Alternate Trade Names Fire-fighting measures: Suitable extinguishing media Fire-fighting measures: Fire fighting equipment/instructions Fire-fighting measures: General fire hazards Stability and reactivity: Conditions to avoid Stability and reactivity: Possibility of hazardous reactions

HALLIBURTON

SAFETY DATA SHEET PENETROL® DRY EU

according to Regulation (EC) No. 2015/830

Revision Date: 30-May-2019 Preparation Date 30-May-2019 Revision Number: 1 Internal ID Code HM009145

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name	PENETROL® DRY EU
Internal ID Code	HM009145

 I.2. Relevant identified uses of the substance or mixture and uses advised against

 Recommended Use
 Surfactant

Uses advised against

Surfactant Consumer use

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services Halliburton House, Howemoss Place Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom +44 1224 776888

www.halliburton.com <u>For further information, please contact</u> **E-mail Address:** <u>14. Emergency telephone number</u> +44 8 08 189 0979 / 1-760-476-3961 Global Incident Response Access Code: 334305 Contract Number: 14012

Emergency telephone - Article 45	- (EC)1272/2008
Turkey	Ulusal Zehir Danisma Merkezi (UZEM) :114
	Acil Saglik Hizmetleri : 112
Europe	112
Bulgaria	Bulgarian poison centre: +359 2 915-44-09 or +359 2 915-43-46
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	00357 22 88 7171
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Portugal	CIAV - Centro de Informação Antivenenos (Portuguese Poison Centre): + 351 213 303 271
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

SAFETY DATA SHEET PENETROL® DRY EU

according to Regulation (EC) No. 2015/830

Revision Date: 30-May-2019 Preparation Date 30-May-2019 Revision Number: 1 Internal ID Code HM009145

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements Not classified

Hazard Pictograms

Signal Word:

None

Hazard Statements: Not Classified

Precautionary Statements: None

Contains

Substances

Contains no hazardous substances in concentrations above cut-off values according to the competent authority

2.3. Other Hazards

Dust can form an explosive mixture in air

SECTION 3: Composition/information on ingredients

NA

CAS Number

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH Reg. No
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	NA	60 - 100%	Not classified	No data available

The specific chemical identity of the composition has been withheld as proprietary. The exact percentage (concentration) of the composition has been withheld as proprietary.

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory
	irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15
	minutes and get medical attention if irritation persists.
	6
Skin	Wash with soap and water. Get medical attention if irritation persists.
Ingestion	Rinse mouth with water many times. Get medical attention, if symptoms occur
-	

4.2. Most important symptoms and effects, both acute and delayed

No significant hazards expected.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting measures

Revision Date: 30-May-2019 Preparation Date 30-May-2019

5.1. Extinguishing media

Suitable Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. Extinguishing media which must not be used for safety reasons Avoid creating dust clouds with extinguishers.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards in a fire

Decomposition in fire may produce harmful gases. Combustible dust when in finely divided and highly suspended state.

5.3. Advice for firefighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Use only competent persons for cleanup. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid creating and breathing dust. Remove sources of ignition. See Section 8 for additional information

6.2. Environmental precautions

None known.

6.3. Methods and material for containment and cleaning up

Cover powder spill with plastic sheet or tarp to minimize spreading Scoop up and remove. Remove ignition sources and work with non-sparking tools.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Avoid dust accumulations. Remove sources of ignition. Ensure adequate ventilation. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in a well ventilated area. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Keep from heat, sparks, and open flames.

7.3. Specific end use(s)

Exposure scenario Other Guidelines No information available No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Substances	CAS Number	EU	UK	Netherlands	France
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Contains no hazardous	NA	Not applicable	Not applicable	Not applicable	Not applicable

Revision Date: 30-May-2019 Preparation Date 30-May-2019

T	
•	
Switzerland	Norway
Not applicable	Not applicable
1	
	Czech Republic
Not applicable	Not applicable
Croatia	Cyprus
	Not applicable
ble	
ble	
ble ble.	
ble.	
	maintain exposures
ble.	
ble. haust as required to	
ble. haust as required to late ventilation, espe	cially in confined
ble. haust as required to uate ventilation, espe ot prevent excessive	ecially in confined exposures, the
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be	ecially in confined e exposures, the e determined by an
ble. haust as required to uate ventilation, espe ot prevent excessive	ecially in confined e exposures, the e determined by an
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be	ecially in confined e exposures, the e determined by an
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec	ecially in confined e exposures, the e determined by an cific application of thi
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be	ecially in confined e exposures, the e determined by an cific application of this low occupational
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, F	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, F pirator when using thi	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, F pirator when using thi ve equipment, includi	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators,
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, F pirator when using thi	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators,
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, E birator when using thi ve equipment, includi or other qualified pro	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators, ofessional.
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, F pirator when using thi ve equipment, includi	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators, ofessional.
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, E birator when using thi ve equipment, includi or other qualified pro-	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators, ofessional. uct as well as other
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, E birator when using thi ve equipment, includi or other qualified pro- s present in this prod nent. Dusty clothing	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators, ofessional. uct as well as other should be laundered
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, E birator when using thi ve equipment, includi or other qualified pro-	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators, ofessional. uct as well as other should be laundered
ble. haust as required to uate ventilation, espe ot prevent excessive equipment should be al based on the spec ot keep exposure be r a NIOSH certified, E birator when using thi ve equipment, includi or other qualified pro- s present in this prod nent. Dusty clothing	ecially in confined e exposures, the e determined by an cific application of this low occupational European Standard is product. Selection ing respirators, ofessional. uct as well as other should be laundered hen removing or
	Switzerland Not applicable Hungary Not applicable Croatia Not applicable

Environmental Exposure Controls No information available

Other Precautions

Face-shield. None known.

SECTION 9: Physical and chemical properties

Revision Date: 30-May-2019 Preparation Date 30-May-2019 Revision Number: 1 Internal ID Code HM009145

9.1. Information on basic physical and chemical properties

Physical State:	Powder	Color:	Pale yellow
Odor:	Characteristic	Odor Threshold:	No information available
Property		<u>Values</u>	
Remarks/ - Metho		N N N N N N N N N N	
pH:	_	No data available	
Freezing Point /		No data available	
Melting Point / R	ange	<50 °C	
Pour Point / Ran	ge	No data available	
Boiling Point / Ra	ange	No data available	
Flash Point		~ 260 °C	
Flammability (so	lid, gas)	No data available	
Upper flamm	ability limit	No data available	
Lower flamm	ability limit	No data available	
Evaporation rate		No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity		1.07	
Water Solubility		Soluble in water	
Solubility in othe	er solvents	No data available	
Partition coeffici	ent: n-octanol/water	No data available	
Autoignition Ten	nperature	No data available	
Decomposition 1		No data available	
Viscosity	•	1100 cSt @ 60°C	
Explosive Prope	rties	No information av	ailable
Oxidizing Proper		No information av	ailable
5 1			
9.2. Other inform	ation		

VOC Content (%)

No data available

SECTION 10: Stability and reactivity

 10.1. Reactivity_

 Not expected to be reactive.

 10.2. Chemical stability

 Stable

 10.3. Possibility of hazardous reactions

 Will Not Occur

 10.4. Conditions to avoid_

 Keep away from heat, sparks and flame.

 10.5. Incompatible materials_

 Strong oxidizers. Strong acids. Strong bases.

 10.6. Hazardous decomposition products

 Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological	effects
Acute Toxicity	
Inhalation	May cause mild respiratory irritation.
Eye Contact	May cause mechanical irritation to eye.
Skin Contact	May cause mild skin irritation.
Ingestion	May cause abdominal pain, vomiting, nausea, and diarrhea.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

Substances CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
-----------------------	-----------	-------------	-----------------

Revision Date: 30-May-2019 Preparation Date 30-May-2019

Revision Number: 1 Internal ID Code HM009145

Contains no hazardous	NA	No data available	No data available	No data available
substances in				
concentrations above				
cut-off values according to				
the competent authority				

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Product is not classified as hazardous to the environment.

Substances	CAS	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to
	Number			Microorganisms	Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

12.3. Bioaccumulative potential

Substances	CAS Number	Bioaccumulation
Contains no hazardous substances in	NA	No information available
concentrations above cut-off values according to		
the competent authority		

12.4. Mobility in soil

Substances	CAS Number	Mobility
	NA	No information available
above cut-off values according to the competent		
authority		

12.5. Results of PBT and vPvB assessment

Substances	PBT and vPvB assessment
Contains no hazardous substances in concentrations above	Not applicable
cut-off values according to the competent authority	

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SAFETY DATA SHEET PENETROL® DRY EU

according to Regulation (EC) No. 2015/830

Revision Number: 1 Internal ID Code HM009145

SECTION 13: Disposal considerations		
<u>13.1. Waste treatment methods</u> Disposal methods	Follow all applicable community, national or regional regulations regarding waste management methods.	
Contaminated Packaging	Follow all applicable national or local regulations.	

SECTION 14: Transport information

IMDG/IMO UN Number UN proper shipping name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable		
<u>ADN</u> UN Number UN proper shipping name: Packing Group Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable		
<u>ADR/RID</u> UN Number UN proper shipping name: Packing Group Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable		
IATA/ICAO UN Number UN proper shipping name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable		
14.1. UN Number	Not restricted		
14.2. UN proper shipping name:	Not restricted		
<u>14.3.</u>			
14.4. Packing Group	Not applicable		
14.5. Environmental Hazards:	Not applicable		
14.6. Special Precautions for User None			

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories US TSCA Inventory Canadian Domestic Substances List (DSL)

All components listed on inventory or are exempt. All components listed on inventory or are exempt. Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Not determined Classes (WGK) Take note of Directive 92/85/EEC regarding maternit

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable. Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Substances	CAS Number	Seveso III	TA LUFT
Contains no hazardous substances in concentrations above cut-off values	NA	Not applicable	Not applicable
according to the competent authority			

Substances	CAS Number	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3 None

Key or legend to abbreviations and acronyms used in the safety data sheet

bw - body weight CAS - Chemical Abstracts Service CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC – European Commission EC10 - Effective Concentration 10% EC50 - Effective Concentration 50% EEC - European Economic Community ErC50 – Effective Concentration growth rate 50% IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 - Lethal Loading 0% LL50 - Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L – milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL – Occupational Exposure Limit PBT - Persistent Bioaccumulative and Toxic PC - Chemical Product category PEL - Permissible Exposure Limit ppm - parts per million

Revision Date: 30-May-2019 Preparation Date 30-May-2019

PROC – Process category REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals STEL – Short Term Exposure Limit SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date:30-May-2019Revision NoteInitial Release

This safety data sheet complies with the requirements of Regulation (EC) No. 2015/830

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

	Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015Replaces all previous versions.Print date: 21.01.2016				
	Version: 2.8	Effective from: 01.01.2016	Page 1 of 19	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

ASCON®	Ground-mix	Procrete®	ThermoCem [®]	
Blitzdämmer [®]	GrowCem [®]	RBM	Tübbingmörtel	
Brunnen-Dämmer [®]	H4E	Recyclingbinder®	Ultrafin	
CableCem [®]	HT 33	RM-Conline	VPM	
CemConex [®] -Mörtel	Jet-Mix [®]	Seku-mix [®]	WatCem	
CEM-Rock [®]	MIXXAN®	Spezial-Fertigbeton (Zaunmörtel)	WipoCem [®]	
Dämmer [®]	Owalith	Spritzbeton	Zement/Bentonit- Gemisch	
Depocrete [®]	P2	Spritzmörtel		
DiWa-mix [®]	P4	Stabiflex		
Drill-mix [®]	Powercrete [®]	SWM		

1.2. Relevant identified uses of the substance or mixture and uses advised against

The building material is a hydraulically setting dry mortar for the use in earth works and civil engineering. The product is mixed by simply adding water and contains no further additives. The related activities include the handling of dry (powder) materials as well as of materials where water has been added (suspensions).

Identified uses for professionals including process categories and descriptors according to ECHA Guidance *R*.12 (ECHA-2010-G-05) are listed in Section 16.

1.3. Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:	HeidelbergCement AG	
Street address/P.O. Box:	Berliner Str. 6	
Country ID/Postcode/Place:	69120 Heidelberg, Germany	
Telephone number:	+49 6221 / 481 – 0	
Telefax:	+49 6221 / 481 13 – 554	
Information provided by:	Engineering and Innovation	Phone: +49 2524 / 29-51740
E-mail address of competent pers	sdb-z@heidelbergcement.com	

Production locations: Ennigerloh-South Plants in D-59320 Ennigerloh, Leimen Plant in D-69181 Leimen.

1.4. Emergency telephone number

Emergency telephone number: +49 6131 / 19 240 (Poison Control Center in Mainz, Germany) Hours of operation: 24 hours / 7 days Service is provided in the following languages: German, English

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement					
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 2 of 19			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

2.1.2 Additional information

Full text of the hazard statements and EU hazard statements is listed in Section 16.

When cement/binding agent comes into contact with water or becomes damp, a strong alkaline solution is produced. Due to the high alkalinity, wet cements/binding agents may provoke skin and eye irritation.

2.2. Label elements

2.2.1 Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:		
Signal word:	Danger	
Hazard statements:	H315	Causes skin irritation.
	H318	Causes serious eye damage.
	H335	May cause respiratory irritation.
Precautionary	P280	Wear protective gloves/protective clothing/eye protection.
statements:	P305+P351+P338 and P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
	P302+P352 and P333+P313	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
	P261 and P304+ P340 and P312	Avoid breathing dust. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
	If the product is offe	red or sold to the general public, additionally:
	P102	Keep out of reach of children.
	P501	Dispose of contents/container to suitable waste collection points.
Supplementary information:		or on the bag, it is indicated for how many months after e product will remain low-chromate in case of appropriate, dry

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement						
Revised: 30.12.2015Replaces all previous versions.Print date: 21.01.2016						
Version: 2.8Effective from: 01.01.2016Page 3 of 19						

2.3. Other hazards

Cement/binding agent does not meet the criteria for PBT or vPvB in accordance with Annex XIII of the REACH Regulation (EC) No 1907/2006.

Product contains chromate reducing agent. Therefore, the cement/binder contains less than 0.0002% of water-soluble Chromium(VI). If the storage conditions are not appropriate (exposure to humidity) or the storage period is exceeded, the effectiveness of the present reducing agent can be diminished prematurely, and the cement/binder can become skin sensitizing (H317 or EUH203, respectively).

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable, as these products are mixtures, not substances.

3.2. Mixtures

Cement/standard cements according to DIN EN 197 and DIN 1164.

Hazardous ingredients:

Constituent	Concentration Range (M. %)	EC No.	CAS No.	Registration No. (REACH)	Classification according to (EC) No. 1272/20 (CLP)	
Portland cement	2-95	(a)	(b)	(c)	Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H315 H318 H335

(a) EG-Nr. of Portland cement clinker contained in the Portland cement 266-043-4.

(b) CAS-Nr. of Portland cement clinker contained in the Portland cement 65997-15-1.

(c) Portland cement clinker is, according to Art. 2.7(b) and Annex V.10 of EC Regulation 1907/2006 (REACH), exempt from the registration requirement

SECTION 4: First aid measures

4.1. Description of first aid measures

General notes

No special personal protective equipment is required for first aiders. First aiders should, however, avoid contact with wet cement/binding agents.

Following eye contact

Do not rub eyes dry, because mechanical stress may cause additional damage to the cornea. Where applicable, remove contact lenses and immediately rinse the eye, while open, under running water for at least 20 minutes in order to remove all particles. If possible, use isotonic eye-cleansing solution (0.9 % NaCl). Always consult an occupational physician or ophthalmologist.

Following skin contact

Remove dry cement/binding agent and rinse abundantly with water. Rinse wet cement/binding agent with plenty of water. Remove contaminated clothing, footwear, watches, etc. and clean these thoroughly before re-using them. Seek medical treatment in all cases of irritation or burns.

Following inhalation

Seek fresh air. Dust should quickly be removed from throat and nose. Consult a physician, should symptoms such as discomfort, coughing or persistent irritation occur.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hvo	Iraulic Road Binder	Hydraulic Lime	Masonry Cement

-		
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016
Version: 2.8	Effective from: 01.01.2016	Page 4 of 19

Following ingestion

Do not induce vomiting. If the person is conscious, wash out mouth with water and give plenty of water to drink. Get immediate medical attention or contact the poison control center.

4.2. Most important symptoms and effects, both acute and delayed

Eyes: Eye contact with cement/binding agent (dry or wet) may cause serious and potentially irreversible eye damage.

Skin: Sustained contact with cement/binding agents may cause irritation on damp skin (due to sweating or humidity).

Contact of cement/binding agents with damp skin may cause skin irritation, dermatitis or severe skin damage.

For more details see reference (1).

Inhalation: Repeated inhalation of large amounts of cement/binding agent dust over a long period of time increases the risk of developing lung diseases.

Environment: Under normal use, cement/binding agents are not hazardous to the environment.

4.3. Indication of any immediate medical attention and special treatment needed

When contacting a physician, take this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Cement/binding agents are not flammable.

5.2. Special hazards arising from the substance or mixture

Cement/binding agents are non-combustible and non-explosive, and will not facilitate or sustain the combustion of other materials.

5.3. Advice for firefighters

No special measures are required, as cement/binding agents do not pose any fire-related hazards.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Wear protective equipment as described in Section 8. Follow the advice for safe handling and use given in Section 7.

6.1.2 For emergency responders

Emergency action plans are not required. However, respiratory protection is needed in situations with high dust levels.

6.2. Environmental precautions

Cement/binding agents should not penetrate the sewage water system, surface water or groundwater.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement						
Revised: 30.12.2015Replaces all previous versions.Print date: 21.01.2016						
Version: 2.8 Effective from: 01.01.2016 Page 5 of 19						

6.3. Methods and material for containment and cleaning up

Absorb spilled cement/binding agent and reuse, if possible.

Where possible, use dry methods to clean, such as vacuum exhaust (portable devices with highly efficient filter systems (EPA and HEPA filters, EN 1822-1:2009) or equivalent techniques), which do not generate dust formation. Never use compressed air for cleaning.

If dust is formed applying a dry cleaning method, personal protective equipment must be used. Avoid inhalation of cement/binding agent dust and skin contact. Place spilled material into a container for potential subsequent use.

6.4. Reference to other sections

See Sections 8 and 13 for further details.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

7.1.1 Protective measures

Follow the recommendations as given in Section 8. To clean up dry cement/binding agent, see Subsection 6.3.

Measures to prevent fire

Not applicable.

Measures to prevent aerosol and dust generation

Do not sweep. Where possible, use dry methods for cleaning, such as vacuum exhaust, which do not generate dust formation.

Measures to protect the environment

No special measures required.

7.1.2 Advice on general occupational hygiene

Do not eat, drink or smoke when working. Wear dust respirator and protective goggles in dusty environment. Use protective gloves to avoid skin contact.

7.2. Conditions for safe storage, including any incompatibilities

Cement/binding agents should be stored under dry (minimizing internal condensation), water-protected conditions, clean and protected from contamination.

Do not enter storage areas for cement/binding agents such as silos, tanks, silo vehicles or other containers without suitable safety measures, because there is a danger of being buried and suffocated. In such confined spaces, cement/biding agent can form walls and bridges, which can, however, collapse or fall unexpectedly.

Do not use aluminum containers due to incompatibility of the materials.

For cement/binding agents containing Chromium(VI) reducing agents (see Section 15), please note that the effectiveness of the reducing agent decreases over time. Therefore, cement/binding agent bags and/or delivery documents include information on the packing date, the storage conditions and the storage period appropriate to maintain the activity of the reducing agent , keeping the content of water-soluble Chromium(VI) below 0.0002% of the total dry weight of the cement ready for use (determination according to EN 196-10). The manufacturer's instructions on proper storage must be followed. As a result of inappropriate storage (ingress of moisture) or expiration, the contained chromate reducers can lose their effectiveness, and a sensitizing effect of cement/binding agents upon skin contact cannot be excluded (see Section 2.3).

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement					
Revised: 30.12.2015Replaces all previous versions.Print date: 21.01.2016					
Version: 2.8	Effective from: 01.01.2016	Page 6 of 19			

Storage class: VCI Storage class 13 (non-flammable solids).

7.3. Specific end use(s)

These products are assigned to GISCODE ZP 1 (cement-containing products, low chromate, see also Section 15). Further information about safe handling, protective measures and rules of conduct can be gathered from GISCODE ZP 1. It is available as part of the hazardous substance information system of the Occupational Insurance Association of the Construction Industry at "http://www.gisbau.de".

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Type of Evaluation Value	Evaluation Value		Peak Lir	nitation	Source	Monitoring Procedure, e.g.	
General Dust Limit Value							
Maximum Allowable Concentration	8 h	1.25 mg/m ³ (R) 10 mg/m ³ (I)	2 (II) 15 min	20 (I)	TRGS 900	TRGS 402	
Water-soluble Chromium(VI)							
Restriction Condition		2 mg/kg in cement	Not determined.		Regulation (EC) No 1907/2006	EN 196-10	

(R): Respirable dust fraction.

(I): Inhalable dust fraction.

8.2. Exposure controls

To comply with occupational exposure limits, combinations of technical and/or individual protective measures are often required. If no adequate workplace measurements are available for exposure, an exposure assessment and selection of appropriate protective measures based on the MEASE tool (Reference 3) may be carried out. Engineering controls (Table in 8.2.1) and individual protective measures (Table in 8.2.2) are recommended for the identified uses in the professional sector (Subsection 16.3). In this context, option A can only be combined with A, and B can only be combined with B. Furthermore, it must be taken into consideration that the indications apply to a continuous exposure of 8 hours per day and 5 days per week.

For the private end consumer applies that the products shall only be used outdoors or in well-ventilated rooms and that personal protective equipment shall be worn (general indications in Subsection 8.2.2).

8.2.1 Appropriate engineering controls

Measures to prevent generation and spreading of dust, for example suitable ventilation systems and cleaning methods, which do not stir up dust.

Exposure Scenario	PROC*	Exposure	Technical Installation	Efficiency
Industrial	2, 3	n IS 480 55 65	not required	-
manufacturing/form ulation of hydraulic	14, 26	not not trict to 4 to 4 trick fts p fts p	A) not required	-
binding agents and		nurest up shif shif	or	
Sinding agointo and		ц - с "	 B) local exhaust ventilation 	78%

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement				
Revised: 30.12.2015 Replaces all previous versions. Print date: 21.01.2016				
Version: 2.8	Effective from: 01.01.2016	Page 7 of 19		

building materials	5, 8b, 9	A) general ventilation or	17%
		B) local exhaust ventilation	78%
Industrial use of dry	2	not required	-
hydraulic binding agents and building materials (indoor,	14, 22, 26	A) not required or	-
outdoor)		B) local exhaust ventilation	78%
	5, 8b, 9	A) general ventilation or	17%
		B) local exhaust ventilation	78%
Industrial use of wet suspensions of hydraulic binding agents and building	2, 5, 8b, 9, 10, 13, 14	not required	-
materials (indoor, outdoor)	7	A) not required or	-
		B) local exhaust ventilation	78%
Professional use of	2	not required	-
dry hydraulic binding agents and building materials	9, 26	A) not required or	-
(indoor, outdoor)		B) local exhaust ventilation	72%
	5, 8a, 8b, 14	A) not required or	-
		B) local exhaust ventilation	87%
	19	Exhaust ventilation is not required, but process only in well-ventilated rooms or outdoors.	-
Professional use of wet suspensions of hydraulic binding	11	A) not requiredorB) local exhaust ventilation	- 72%
agents and building materials (indoor,		,	
outdoor)	2, 5, 8a, 8b, 9, 10, 13, 14, 19	not required	-

* Defined in Subsection 16.3.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015 Replaces all previous versions. Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 8 of 19	

8.2.2 Individual protection measures, such as personal protective equipment

General information: Do not eat, drink or smoke when working. Wash hands and if necessary shower before breaks and after work to remove adherent cement/binding agent. Avoid contact with eyes and skin. After working with cement/binding agent, workers should wash or shower and use skin care products. Clean contaminated clothing, footwear, watches, etc. thoroughly before re-using them.

Eye/face protection



Use tight-fitting safety goggles according to EN 166 where dust is formed or in case of risk of spilling.

Skin protection



Wear waterproof, abrasion and alkali-resistant gloves. Leather gloves are not suitable due to their water penetrability, and can release chromate-containing compounds. For handling cement/binders, special gloves for chemicals (Cat. III) are not required. Investigations have proven that nitrile impregnated cotton gloves (layer thickness of about 0.15 mm) provide sufficient protection over a period of 480 minutes. Change soaked gloves. Have spare gloves ready.

General information about skin protection can be found in the rule BGR/GUV-R 195 of the German Accident Prevention & Insurance Association.

Wear tight footwear and long-sleeved clothing. If contact with moist cement/binder cannot be avoided, protective clothing should also be waterproof. Take care that no moist cement/binder is running in shoes or boots from above. Observe skin protection plan. Apply skin care products, in particular after work.

Respiratory protection



Use adequate respirator masks when there is a risk that exposure limit values are exceeded (e.g. during open handling of dry powder products).

Mixing and transferring dry cement/binder in open systems, e.g. manual mixing of cement paste or cement mortar, transferring bagged products to batch mixers: If compliance with maximum allowable concentrations cannot be guaranteed by dust-limiting measures, e.g. local exhaust ventilation, particle-filtering half-masks of the type FFP (according to EN 149) must be used (see table).

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015 Replaces all previous versions. Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 9 of 19	

Exposure Scenario	PROC*	Exposure	Specification of respiratory protective equipment (RPE)	RPE efficiency – assigned protec- tion factor (APF)
Industrial	2, 3		not required	-
manufacturing/formulation of hydraulic binding agents and building materials			A) FFP1 mask or B) not required	APF = 4 -
materials	5, 8b, 9		A) FFP2 mask or	APF = 10
			B) FFP1 mask	APF = 4
Industrial use of dry	2	. (Xe	not required	-
hydraulic binding agents and building materials (indoor, outdoor)	14, 22, 26	s per wee	A) FFP1 mask or B) not required	APF = 4 -
	5, 8b, 9	ift, 5 shift	A) FFP2 mask or B) FFP1 mask	APF = 10 APF = 4
Industrial use of wet suspensions of hydraulic binding agents and building materials (indoor,	2, 5, 8b, 9, 10, 13, 14	nutes per sh	not required	-
outdoor)	7	Duration is not restricted (up to 480 minutes per shift, 5 shifts per week).	A) FFP1 mask or B) not required	APF = 4 -
Professional use of dry	2	ted	FFP1 mask	APF = 4
hydraulic binding agents and building materials (indoor, outdoor)	9, 26	t restric	A) FFP2 mask or	APF = 10
		Ö	B) FFP1 mask	APF = 4
	5, 8a, 8b, 14	Iration is	A) FFP3 mask or B) FFP1 mask	APF = 20 APF = 4
	19	D D	FFP2 mask	APF = 10
Professional use of wet suspensions of hydraulic binding agents and building materials (indoor,	11		A) FFP1 mask or B) not required	APF = 4 -
outdoor)	2, 5, 8a, 8b, 9, 10, 13, 14, 19		not required	-

* Defined in Subsection 16.3.

For the manual and mechanical handling of ready-made cement paste, cement mortar and concrete, respiratory protective equipment is not required.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015 Replaces all previous versions. Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 10 of 19	

General information can be found in the rule BGR/GUV-R 190 of the German Accident Prevention & Insurance Association.

An instruction of employees on the appropriate application of the personal protection equipment is essential in order to guarantee the required effectiveness.

8.2.3 Environmental exposure controls

Air: Compliance with dust emission limit values in accordance with the Technical Instructions on Air Quality.

Water: Do not discharge cement/binding agents into groundwater or wastewater systems in larger quantities. An increase in pH value is possible through exposure. At a pH value above 9, ecotoxicological effects may occur. Water directed or drained off into the wastewater system or surface water should therefore not lead to such a relevant pH value. Wastewater and groundwater regulations must be observed.

Soil: Compliance with the German Federal Soil Protection Act and the German Federal Soil Protection and Contamination Ordinance. No special control measures required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- (a) Appearance: Cement/binding agent is a finely ground inorganic solid (grey or white powder)
- (b) Odor: Odorless
- (c) Odor threshold: No odor threshold, odorless
- (d) pH (T = 20 °C in water, water-solid ratio 1:2): 11-13.5
- (e) Melting point / freezing point: > 1250 °C
- (f) Initial boiling point and boiling range: Not applicable, as under normal atmospheric conditions the melting point is above 1250 °C.
- (g) Flash point: Not applicable, as is not a liquid
- (h) Evaporation rate: Not applicable, as is not a liquid
- (i) Flammability (solid, gas): Not applicable, as it is a solid and non-flammable material
- (j) Upper/lower flammability or explosive limits: Not applicable, as it is not gaseous
- (k) Vapor pressure: Not applicable, as melting point > 1250 °C
- (I) Vapor density: Not applicable, as melting point > 1250 °C
- (m) Relative density: 2.75-3.20 g/cm3; bulk density: 0.9-1.5 g/cm3
- (n) Solubility(ies): low (0.1-1.5 g/l)
- (o) Partition coefficient: n-octanol/water: Not applicable, as it is an inorganic mixture
- (p) Auto-ignition temperature: Not applicable (not pyrophoric no organo-metallic, organo-metalloid or organo-phosphine bindings or derivatives, and no other pyrophoric components)
- (q) Decomposition temperature: Not applicable, as no inorganic peroxides are present
- (r) Viscosity: Not applicable, as it is no liquid
- (s) Explosive properties: Not explosive and not pyrotechnical. No gas development or self-sustaining exothermic chemical reactions.
- (t) Oxidizing properties: Not applicable, as cement/binding agent has no oxidizing properties.

9.2. Other information

Not applicable.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015 Replaces all previous versions. Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 11 of 19	

SECTION 10: Stability and Reactivity

10.1. Reactivity

Cement/binding agent is a hydraulic material. When mixed with water, an intended reaction takes place. As a result, cement hardens and forms a solid mass, which does not react with its environment.

10.2. Chemical stability

Cement/binding agent is stable, as long as it is properly stored (see Section 7). It should be kept dry. Contact with incompatible materials should be avoided. Wet cement/binding agent is alkaline and incompatible with acids, ammonium salts, aluminum and other base metals. Here, hydrogen can be formed. Cement/binding agent dissolves in hydrofluoric acid, forming corrosive silicon tetrafluoride gas. Avoid contact with these incompatible materials.

With water, cement/binding agent forms calcium silicate hydrates, calcium aluminate hydrates and calcium hydroxide.

The calcium silicates of the cement/binding agent may react with strongly oxidizing agents such as fluorides.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

Moisture during storage can lead to lumping and loss of product quality.

10.5. Incompatible materials

Acids, ammonium salts, aluminum or other base metals.

10.6. Hazardous decomposition products

Cement/binding agent does not decompose into hazardous components.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Hazard Class	Cat.	Effect	Reference
Acute toxicity – dermal	-	Limit test, rabbit, 24 hour exposure, 2,000 mg/kg body weight – no lethality	(4)
		Based on available data, the classification criteria are not fulfilled.	
Acute toxicity – inhalation	-	Limit test, rat, with 5 g/m ³ , no acute toxicity. Study was conducted with Portland cement clinker, the main component of cement. Based on available data, the classification criteria are not fulfilled.	(10)
Acute toxicity – oral	-	No acute oral toxicity was found in animal studies with cement kiln dusts and cement dusts. Based on available data, the classification criteria are not fulfilled.	Literature survey
Skin corrosion/irritation	2	Cement has an irritating effect on skin and mucous membranes. Dry cement in contact with moist skin or skin in contact with damp or wet cement can lead to various irritating and inflammatory skin reactions, e.g. redness and chaps. Prolonged contact in combination with mechanical abrasion may cause severe skin damages.	(4) and human experience

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement				
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016		
Version: 2.8	Effective from: 01.01.2016	Page 12 of 19		

Hazard Class	Cat.	Effect	Reference
Serious eye damage/irritation	1	In the in vitro test, Portland cement clinker (the main component of cement) showed varying degrees of impact on the cornea. The calculated "irritation index" was 128. Direct contact with cement can lead to cornea damage, due to either an immediate or delayed irritation or inflammation, or the mechanical stress. Direct contact with large amounts of dry cement or splashes of wet cement may have effects ranging from moderate eye irritation (e.g. conjunctivitis or blepharitis) to serious eye damage and blindness.	(11), (12) and human experience
Skin sensitization	1B	Some individuals may develop eczema after contact with wet cement. This is triggered either by pH value (irritant contact dermatitis) or by immunological reactions with water-soluble Chromium(VI) (allergic contact dermatitis).	(5), (13)
Respiratory sensitization	-	There is no indication of respiratory sensitization. Based on available data, the classification criteria are not fulfilled.	(1)
Germ cell mutagenicity	-	No indication of germ cell mutagenicity. Based on available data, the classification criteria are not fulfilled.	(14), (15)
Carcinogenicity	-	A causal relationship between cement exposure and cancer has not been determined. Epidemiological studies were not indicative of an association between exposure to cement and cancer.	(1)
		Portland cement is not classified as a human carcinogen according to ACGIH A4: "Agents causing concern that they could be carcinogenic for humans, but cannot be assessed conclusively because of a lack of data. In vitro tests or animal experiments do not provide sufficient evidence of carcinogenicity to assign this substance to another classification." Portland cement contains more than 90% Portland cement clinker.	(16)
		Based on available data, the classification criteria are not fulfilled.	
Reproductive toxicity	-	Based on available data, the classification criteria are not fulfilled.	No evidence from human experience.
Specific target organ toxicity (STOT) – single exposure	3	Cement dust exposure can lead to irritation of the respiratory system (throat, neck, lungs). Coughing, sneezing, and shortness of breath can be the result if the exposure is above the occupational exposure limit. Occupational exposure to cement dust can lead to impairment of respiratory functions. However, currently there is insufficient evidence to deduce a dose-effect relationship.	(1)
Specific target organ toxicity (STOT) – repeated exposure	-	Long-term exposure to respirable cement dust above the occupational exposure limit may cause coughing, shortness of breath and chronic obstructive changes in the respiratory tract. No chronic effects have been observed at low concentrations. Based on available data, the classification criteria are not fulfilled.	(17)
Aspiration hazard	-	Not applicable, as cement/binder is not available as an aerosol.	

Cements (common cements)/binding agents and Portland cement clinkers have the same toxicological and ecotoxicological properties.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015 Replaces all previous versions. Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 13 of 19	

Medical conditions aggravated by exposure

Cement/binding agent may aggravate existing skin, eye and respiratory tract diseases, for example emphysema or asthma.

SECTION 12: Ecological information

12.1. Toxicity

Cement/binding agents are not considered hazardous to the environment. Ecotoxicological studies with Portland cement on Daphnia magna (U.S. EPA, 1994a) [Reference (6)] and Selenastrum coli (U.S. EPA, 1993) [Reference (7)] have shown little toxicological impact. Therefore, LC50 and EC50 values could not be determined [Reference (8)]. No toxic effects on sediments were determined either [Reference (9)]. The release of large amounts of cement in water can, however, lead to rise in pH and thus be toxic for aquatic life under certain circumstances.

12.2. Persistence and degradability

Not applicable, as cement/binding agent is an inorganic mineral material. After hydration, residual cement/binding agents present no toxicological risk.

12.3. Bioaccumulative potential

Not applicable, as cement/binding agent is an inorganic mineral material. After hydration, residual cement/binding agents present no toxicological risk.

12.4. Mobility in soil

Not applicable, as cement/binding agent is an inorganic mineral material. After hydration, residual cement/binding agents present no toxicological risk.

12.5. Results of PBT and vPvB assessment

Not applicable, as cement/binding agent is an inorganic mineral material. After hydration, residual cement/binding agents present no toxicological risk.

12.6. Other adverse effects

Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product exceeding the effective date of the reducing agent

(and if its content of water-soluble Chromium(VI) is higher than 0.0002%): The product must not be used or placed on the market anymore, except it is used in well-controlled, closed and fully automated processes or it is retreated with Chromium(VI) reducing agent.

Unused residual amount of dry product

Gather dryly. Label container. If possible, reuse material, avoiding dust exposure and observing date of expiry. In case of disposal, cure with water and dispose of as described under "Products cured after water addition".

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement			
Revised: 30.12.2015Replaces all previous versions.Print date: 21.01.2016			
Version: 2.8	Effective from: 01.01.2016	Page 14 of 19	

Moist products and product sludge

Let moist products and product sludge cure. Do not dispose of in wastewater or surface water. Dispose of as described under "Products cured after water addition".

Products cured after water addition

Dispose of in strict accordance with local official directives. Do not dispose of in the sewage water system. Dispose of the cured products like of concrete waste and concrete sludge. Waste code according to EWC (European Waste Catalogue), depending on the source:

As 17 01 01 (concrete) or 10 13 14 (waste concrete and concrete sludge).

Packaging

Empty packaging completely and recycle. Otherwise, dispose of the completely emptied packaging according to waste code EWC:

15 01 01 (paper and cardboard packaging) or 15 01 05 (composite packaging).

SECTION 14: Transport information

Cement/binding agent is not subject to the international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID). Therefore, no dangerous goods classification is required.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement		
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016
Version: 2.8	Effective from: 01.01.2016	Page 15 of 19

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulatory Information

Restrictions on use:

According to Annex XVII Paragraph 47 of EC Regulation 1907/2006 (REACH), the marketing and use of cements and cement-containing preparations is subject to restriction:

- 1. Cement and cement-containing mixtures shall not be used or placed on the market if they contain, when hydrated, more than 0.0002% soluble Chromium(VI) of the total dry weight of the cement.
- 2. If reducing agents are used, then, without prejudice to the application of other Community provisions on the classification, packaging and labeling of dangerous substances and mixtures, suppliers shall ensure, before placing on the market, that the labeling of cement and cement-containing mixtures is clearly readable and durably indicating when the product was packaged and under what conditions and for how long it can be stored without the effect of the reducing agent decreasing and the content of soluble Chromium(VI) exceeding the limit value specified in Number 1.
- 3. By way of derogation, Numbers 1 and 2 shall not apply to the placing on the market with regard to wellcontrolled, closed and fully automated processes, and to use in processes, in which cement and cementcontaining mixtures are handled solely by machines and in which there is no possibility of contact with the skin.
- 4. The standard, which has been adopted by the European Committee for Standardization (CEN) for the determination of the content of water-soluble Chromium(VI) of cement and cement-containing mixtures, has to be applied as the procedure to provide evidence of compliance with Number 1.

Within the scope of the "Agreement on Workers' Health Protection through the Good Handling and Use of Crystalline Silica and Products containing it", manufacturers of cement have committed themselves to implement "Best Practices" for safe handling (http://www.nepsi.eu/good-practice-guide.aspx).

National legislation/requirements

- Ordinance on Hazardous Substances (GefStoffV)
- Water Hazard Class: WGK 1 (slightly hazardous to water), self-assessment according to VwVwS from 17.05.1999
- GISCODE: ZP 1 (cement-containing products, low in chromate)
- Storage class according to TRGS 510: Storage class 13 (non-flammable solids)
- Directive on the European List of Waste Materials
- Technical Rules for Hazardous Substances 900 "Maximum Allowable Concentrations" (TRGS 900)
- Technical Rules for Hazardous Substances 402 "Determination and Evaluation of Hazards during Operations with Hazardous Substances" (TRGS 402)

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

Compared to Version 2.7, the references to the classification according to Directive 1999/45/EC and 67/548/EEC have been removed. Subsections 2.1; 2.3; 3.2 and 16.4.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement		
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016
Version: 2.8	Effective from: 01.01.2016	Page 16 of 19

16.2 Abbreviations and acronyms

ACGIH ADR/RID APF CAS CLP COPD DNEL EC50 ECHA EINECS EPA ES EWC FF P FM P HEPA H&S IATA IMDG IUPAC LC50 MEASE	American Conference of Industrial Hygienists European Agreements on the transport of Dangerous goods by Road/Railway Assigned Protection Factor Chemical Abstracts Service Classification, labeling and packaging (Regulation (EC) No 1272/2008) Chronic Obstructive Pulmonary Disease Derived no-effect level Half maximal effective concentration European Chemicals Agency European Inventory of Existing Commercial Chemical Substances Type of high efficiency air filter Exposure scenario European Waste Catalogue Filtering facepiece against particles (disposable) Filtering mask against particles with filter cartridge Type of high efficiency air filter Health and Safety International Air Transport Association International Agreement on the Maritime Transport of Dangerous Goods International Union of Pure and Applied Chemistry Median lethal dose Metals estimation and assessment of substance exposure
OELV PBT	Occupational exposure limit value Persistent, bio-accumulative and toxic
PNEC PROC	Predicted no-effect concentration Process category
RE	Repeated exposure
REACH	Registration, Evaluation, Authorization and Restriction of Chemicals (Regulation (EC) 1907/2006)
RPE	Respiratory protective equipment
SCOEL	Scientific Committee on Occupational Exposure Limit Values
SDS SE	Safety Data Sheet
SE	Single exposure Sewage treatment plant
STOT	Specific target organ toxicity
TLV-TWA	Threshold Limit Value-Time-Weighted Average
TRGS	Technical Rules for Hazardous Substances
UVCB	Substances of Unknown or Variable Composition, Complex Reaction Products or Biological Materials
VCI	German Chemical Industry Association
VLE-MP	Exposure limit value-weighted average in mg by cubic meter of air
vPvB VwVwS	Very persistent, very bioaccumulative Administrative Regulation on Substances Hazardous to Water
v vv v vv3	Autimistrative Regulation on Substances nazaruous to water

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement		
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016
Version: 2.8	Effective from: 01.01.2016	Page 17 of 19

16.3 Process categories and descriptors

For the professional user, process categories and descriptors according to ECHA Guidance R.12 (ECHA-2010-G-05) can be assigned (see table).

PROC	Identified Uses – Use Description		Professional/ Industrial use of ding agents and g materials
2	Use in closed, continuous process with occasional controlled exposure (e.g. sampling)	X	X
3	Use in closed batch process (formulation)	X	X
5	Mixing or blending in batch processes for formulation of mixtures and articles (multiple and/or significant contact)	x	x
7	Industrial spraying		X
8a	Transfer (charging/discharging) from/to vessels/large containers at non-dedicated facilities		X
8b	Transfer (charging/discharging) from/to vessels/large containers at dedicated facilities	x	X
9	Transfer into small containers (dedicated filling plant, including weighing)	x	X
10	Roller application or brushing		X
11	Non-industrial spraying		X
13	Treatment of articles by dipping and pouring		X
14	Production of mixtures or articles by tableting, compression, extrusion, pelletization	X	X
19	Hand-mixing with intimate contact and only personal protective equipment (PPE) available		X
22	Potentially closed processing operations with minerals/metals at elevated temperature Industrial setting		x
26	Handling of solid inorganic substances at ambient temperature	х	X

16.4 Relevant H-statements (number and full text)

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- EUH203 Contains Chromium(VI). May produce an allergic reaction.

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement		
Revised: 30.12.2015	Replaces all previous versions.	Print date: 21.01.2016
Version: 2.8	Effective from: 01.01.2016	Page 18 of 19

16.5 Key literature references and sources for data

- (1) *Portland Cement Dust Hazard assessment document EH75/7,* UK Health and Safety Executive, 2006: Available from: http://www.hse.gov.uk/pubns/web/portlandcement.pdf.
- (2) Technische Regel für Gefahrstoffe "Arbeitsplatzgrenzwerte" [Technical Rules for Hazardous Substances "Occupational Exposure Limit Values"], 2009, GMBI No. 29 P. 605.
- (3) MEASE 1.02.01 Exposure assessment tool for metals and inorganic substances, EBRC Consulting GmbH for Eurometaux, 2010: http://www.ebrc.de/ebrc/ebrc-mease.php.
- (4) Observations on the effects of skin irritation caused by cement, Kietzman et al, Dermatosen, 47, 5, 184-189 (1999).
- (5) Epidemiological assessment of the occurrence of allergic dermatitis in workers in the construction industry related to the content of Cr(VI) in cement, NIOH, Page 11, 2003.
- (6) U.S. EPA, Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, 3rd ed. EPA/600/7-91/002, Environmental Monitoring and Support Laboratory, U.S. EPA, Cincinnati, OH (1994a).
- (7) U.S. EPA, Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms, 4th ed. EPA/600/4-90/027F, Environmental Monitoring and Support Laboratory, U.S. EPA, Cincinnati, OH (1993).
- (8) Environmental Impact of Construction and Repair Materials on Surface and Ground Waters. Summary of Methodology, Laboratory Results, and Model Development. NCHRP report 448, National Academy Press, Washington, D.C., 2001.
- (9) Final report Sediment Phase Toxicity Test Results with Corophium volutator for Portland clinker prepared for Norcem A.S. by AnalyCen Ecotox AS, 2007.
- (10) TNO report V8801/02, An acute (4-hour) inhalation toxicity study with Portland Cement Clinker CLP/GHS 03-2010-fine in rats, August 2010.
- (11) TNO report V8815/09, Evaluation of eye irritation potential of cement clinker G in vitro using the isolated chicken eye test, April 2010.
- (12) TNO report V8815/10, Evaluation of eye irritation potential of cement clinker W in vitro using the isolated chicken eye test, April 2010.
- (13) European Commission's Scientific Committee on Toxicology, Ecotoxicology and the Environment (SCTEE) opinion of the risks to health from Cr(VI) in cement (European Commission, 2002): http://ec.europa.eu/health/archive/ph_risk/committees/sct/documents/out158_en.pdf.
- (14) Investigation of the cytotoxic and proinflammatory effects of cement dusts in rat alveolar macrophages, Van Berlo et al, Chem. Res. Toxicol., 2009 Sept; 22(9):1548-58.
- (15) Cytotoxicity and genotoxicity of cement dusts in A549 human epithelial lung cells in vitro; Gminski et al, Abstract DGPT Conference Mainz, 2008.
- (16) Comments on a recommendation from the American Conference of governmental industrial Hygienists to change the threshold limit value for Portland cement, Patrick A. Hessel and John F. Gamble, EpiLung Consulting, June 2008.
- (17) Exposure to thoracic dust, airway symptoms and lung function in cement production workers; Nordby, *K.-C.*, et al; Eur Respir J, 2011. 38(6).

HEIDELBERGCEMENT

according to Regulation (EC) No 1907/2006 (REACH)

Product: Cement, Hydraulic Road Binder, Hydraulic Lime, Masonry Cement		
Revised: 30.12.2015Replaces all previous versions.Print date: 21.01.2016		Print date: 21.01.2016
Version: 2.8	Effective from: 01.01.2016	Page 19 of 19

16.6 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008	Classification Procedure
Skin Irrit. 2, H315	On basis of test data.
Eye Dam. 1, H318	On basis of test data.
STOT SE 3, H335	Human experience.

16.7 Training advice

In addition to training programs for employees on the topics health, safety and the environment, companies must ensure that their employees are able to read and understand the safety data sheet, and to implement the requirements.

16.8 Disclaimer

The information given in this safety data sheet describes the safety requirements of our product and is based on the currently available knowledge. It does not represent any warranty of end product properties. Existing legislation, ordinances and regulations, including those not mentioned in this safety data sheet, are to be observed by the recipient of our products at his own responsibility.



volgens 1907/2006/EG, Artikel 31

datum van de druk: 30.05.2012

Versienummer 1

Herziening van: 30.05.2012

RUBRIEK 1: Identificatie van de stof of het mengsel en van de vennootschap/onderneming

· 1.1 Productidentificatie

- · Handelsnaam: Cebo drill-Grout (plus)
- · 1.2 Relevant geïdentificeerd gebruik van de stof of het mengsel en ontraden gebruik
- · Toepassing van de stof / van de bereiding Civil engineering
- · 1.3 Details betreffende de verstrekker van het veiligheidsinformatieblad

• Fabrikant/leverancier: CEBO Holland B.V. Westerduinweg 4 NL-1970 AB IJmuiden The Netherlands tel: +31(0)255-546262 fax: +31(0)255-546202 www.cebo.com

 $\cdot \textit{Inlichting engevende sector:} Product safety department: msds@cebo.com$

- · 1.4 Telefoonnummer voor noodgevallen:
- Nationale Vergiftigingen Informatie Centrum (Bilthoven): +31 30 274 8888 Uitsluitend bestemd om artsen te informeren bij accidentele vergifigingen. Cebo Holland +31(0)255-546245 (alleen tijdens kantooruren bereikbaar)

RUBRIEK 2: Identificatie van de gevaren

- · 2.1 Indeling van de stof of het mengsel
- · Indeling overeenkomstig Verordening (EG) nr. 1272/2008

GHS05 corrosie

Eye Dam. 1 H318 Veroorzaakt ernstig oogletsel.



- Acute Tox. 4 H312 Schadelijk bij contact met de huid.
- Skin Irrit. 2 H315 Veroorzaakt huidirritatie.
- STOT SE 3 H335 Kan irritatie van de luchtwegen veroorzaken.

· Indeling overeenkomstig Richtlijn 67/548/EEG of Richtlijn 1999/45/EG

Xi; Irriterend

R37/38-41: Irriterend voor de ademhalingswegen en de huid. Gevaar voor ernstig oogletsel. • *Speciale gevaaromschrijving voor mens en milieu:* Vervalt.

- · 2.2 Etiketteringselementen
- *Kentekening volgens EEG-richtlijnen:* Het produkt is volgens de EG-richtlijnen/GefStoffV (de verordening inzake gevaarlijke stoffen) geclassificeerd en gekenmerkt.
- · Kenletter en gevaaromschrijving van het produkt:



Xi Irriterend

· R-zinnen:

37/38 Irriterend voor de ademhalingswegen en de huid.

41 Gevaar voor ernstig oogletsel.



Versienummer 1

Herziening van: 30.05.2012

datum van de druk: 30.05.2012

Handelsnaam: Cebo drill-Grout (plus)

(Vervolg van blz. 1)

25-50%

· S-zinnen:

2 Buiten bereik van kinderen bewaren.

- 22 Stof niet inademen.
- 25 Aanraking met de ogen vermijden.

26 Bij aanraking met de ogen onmiddellijk met overvloedig water afspoelen en deskundig medisch advies inwinnen.

RUBRIEK 3: Samenstelling en informatie over de bestanddelen

- · 3.2 Mengsels < 30% Portland cement clinker
- · Beschrijving:
- · Gevaarlijke inhoudstoffen:

CAS: 65997-15-1 EINECS: 266-043-4

🗙 Xi R37/38-41

📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; STOT SE 3, H335

RUBRIEK 4: Eerstehulpmaatregelen

- · 4.1 Beschrijving van de eerstehulpmaatregelen
- · Na het inademen: Frisse lucht toedienen; bij klachten arts ontbieden.

cement, portland, chemicaliën

- · Na huidcontact:
- Wanneer de huid geïrriteerd blijft, een dokter raadplegen.
- Onmiddellijk met water afwassen.
- · Na oogcontact:

Spoelen met veel water, ook onder de oogleden, gedurende tenminste 15 minuten. Indien mogelijk gebruik, handwarm water. Raadpleeg een arts.

- Niet in de ogen wrijven, mechanische irritatie.
- · Na inslikken:
- Geen braken teweegbrengen en onmiddellijk medische hulp raadplegen.

Mond spoelen en overvloedig water drinken.

- 4.2 Belangrijkste acute en uitgestelde symptomen en effecten Geen verdere relevante informatie verkrijgbaar.
- \cdot 4.3 Vermelding van de vereiste onmiddellijke medische verzorging en speciale behandeling
- Voor specialistisch advies dient de arts contact op te nemen met het gifinformatiecentrum.

RUBRIEK 5: Brandbestrijdingsmaatregelen

- · 5.1 Blusmiddelen
- Geschikte blusmiddelen:

Het product is niet brandbaar. Gebruik een droge water, poeder, schuim of CO2 brandblusser om het vuur te blussen Omgeving. Gebruik de juiste blusmiddelen die zijn plaatselijke tijden voor de omstandigheden en de omgeving.

- 5.2 Speciale gevaren die door de stof of het mengsel worden veroorzaakt Geen gevaarlijke thermische ontleding producten.
- · 5.3 Advies voor brandweerlieden
- Speciale beschermende kleding:
- Perslucht wordt geadviseerd.

Standaard brandweer uitrusting.

RUBRIEK 6: Maatregelen bij het accidenteel vrijkomen van de stof of het mengsel

· 6.1 Persoonlijke voorzorgsmaatregelen, beschermde uitrusting en noodprocedures Beschermende kleding aantrekken. Niet beschermde personen op afstand houden.

- 6.2 Milieuvoorzorgsmaatregelen: Niet in de riolering/het oppervlaktewater/het grondwater laten terechtkomen.
- · 6.3 Insluitings- en reinigingsmethoden en -materiaal: Mechanisch opnemen.
- · 6.4 Verwijzing naar andere rubrieken

Informatie inzake veilig gebruik - zie hoofdstuk 7.

Informatie inzake persoonlijke beschermingsuitrusting - zie hoofdstuk 8.

Versienummer 1

Herziening van: 30.05.2012

Handelsnaam: Cebo drill-Grout (plus)

Informatie inzake berging - zie hoofdstuk 13.

RUBRIEK 7: Hantering en opslag

- 7.1 Voorzorgsmaatregelen voor het veilig hanteren van de stof of het mengsel Stofvorming vermijden.
- · Informatie m.b.t. brand- en ontploffingsgevaar: Geen bijzondere maatregelen noodzakelijk.
- ·7.2 Voorwaarden voor een veilige opslag, met inbegrip van incompatibele producten
- · Opslag:
- · Eisen ten opzichte van opslagruimte en tanks: Geen bijzondere eisen.
- · Informatie m.b.t. gezamenlijke opslag: Geen.
- · Verdere inlichtingen over eisen m.b.t. de opslag: Tanks ondoordringbaar gesloten houden.
- · 7.3 Specifiek eindgebruik Geen verdere relevante informatie verkrijgbaar.

RUBRIEK 8: Maatregelen ter beheersing van blootstelling/persoonlijke bescherming

- · Aanvullende gegevens m.b.t. de inrichting van technische installaties: Geen aanvullende gegevens. Zie 7.
- · 8.1 Controleparameters
- · Bestanddelen met grenswaarden die m.b.t. de werkruimte in acht genomen moeten worden:

Het produkt bevat geen relevante hoeveelheden van stoffen, die met betrekking tot de werkplaatsen, qua grenswaarden gecontroleerd moeten worden.

- · Aanvullende gegevens: Als basis dienden lijsten die bij opstelling geldig waren.
- · 8.2 Maatregelen ter beheersing van blootstelling
- · Persoonlijke beschermingsvoorzieningen:
- · Algemene beschermings- en gezondheidsmaatregelen:
- De gebruikelijke voorzorgsmaatregelen bij de omgang met chemicaliën moeten in acht genomen worden.
- Verwijderd houden van eet- en drinkwaren.

Verontreinigde kleding onmiddellijk uittrekken.

Vóór de pauze en aan het einde van werktijd handen wassen.

Aanraking met de huid vermijden.

Aanraking met de ogen en de huid vermijden.

Niet eten, drinken of roken tijdens gebruik.

· Ademhalingsbescherming:

Bij korte of geringe belasting ademfiltertoestel; bij intensieve resp. langdurige expositie een van de omringende lucht onafhankelijk ademhalingstoestel gebruiken.

· Handbescherming:



Veiligheidshandschoenen

Het handschoenmateriaal moet ondoorlatend en bestand zijn tegen het product / de stof / de bereiding.

De te gebruiken beschermende handschoenen, moeten voldoen aan de specifiacties van de EG regeling 89/686/EEG en de daaruit voortkomende norm EN374

· Handschoenmateriaal

De keuze van een geschikte handschoen is niet alleen afhankelijk van het materiaal, maar ook van andere kwaliteitskenmerken en verschilt van fabrikant tot fabrikant. Aangezien het product uit meerdere stoffen is samengesteld, is de duurzaamheid van de handschoenmaterialen niet vooraf berekenbaar en moet derhalve vóór het gebruik worden getest.

· Doordringingstijd van het handschoenmateriaal

De vastgestelde penetratietijden volgens EN 374 Deel III werden niet onder de praktijkvoorwaarden bepaald. Er wordt bijgevolg een maximale draagtijd aanbevolen die overeenkomt met 50 % van de opgegeven penetratietijd.



datum van de druk: 30.05.2012

(Vervolg van blz. 2)



Versienummer 1

Herziening van: 30.05.2012

Handelsnaam: Cebo drill-Grout (plus)

(Vervolg van blz. 3)

· Oogbescherming:

datum van de druk: 30.05.2012



· Beperking en bewaking van de blootstelling van het milieu

Uitstoot van ventilatie of bewerkingsapparatuur moet worden gecontroleerd om er zeker van te zijn dat deze voldoet aan de eisen van de milieubeschermingswetgeving. In sommige gevallen zijn gaswassers, filters of technische modificaties van de procesapparatuur nodig om de emissie terug te brengen tot een aanvaardbaar niveau.

RUBRIEK 9: Fysische en chen	nische eigenschappen
· 9.1 Informatie over fysische en chemis	sche basiseigenschappen
· Algemene gegevens	
· Voorkomen:	
Vorm:	Poeder.
Kleur:	Zilvergrijs
· Reuk:	Geurloos.
· Geurdrempelwaarde:	Niet bepaald.
· pH-waarde bij 20°C:	11,0 - 13,5
· Toestandsverandering	
Kookpunt/kookpuntbereik:	Niet bepaald.
· Vlampunt:	Niet bruikbaar.
\cdot Ontvlambaarheid (vast, gasvormig):	De stof is niet ontvlambaar.
· Ontstekingstemperatuur:	
Ontbindingstemperatuur:	Niet bepaald.
· Zelfonsteking:	Niet bepaald.
· Ontploffingsgevaar:	Het produkt is niet ontploffingsgevaarlijk.
· Ontploffingsgrenzen:	
Onderste:	Niet bepaald.
Bovenste:	Niet bepaald.
· Dampdruk:	Niet bruikbaar.
Dichtheid bij 20°C:	900 - 1500 kg/m³
· Dampdichtheid	Niet bruikbaar.
· Verdampingssnelheid	Niet bruikbaar.
· Oplosbaarheid in/mengbaarheid met	
Water bij 20°C:	0,1 - 1,5 g/l
· Verdelingscoëfficiënt (n-octanol/water	r): Niet bepaald.
· Viscositeit	
Dynamisch:	Niet bruikbaar.
Kinematisch:	Niet bruikbaar.
· Oplosmiddelgehalte:	
Organisch oplosmiddel:	0,0 %
Gehalte aan vaste bestanddelen:	100,0 %
· 9.2 Overige informatie	Geen verdere relevante informatie verkrijgbaar.
	(Vervolg op blz.

(Vervolg op - NL ---



Versienummer 1

Herziening van: 30.05.2012

Handelsnaam: Cebo drill-Grout (plus)

(Vervolg van blz. 4)

RUBRIEK 10: Stabiliteit en reactiviteit

- · 10.1 Reactiviteit
- Er zijn voor dit product of de bestanddelen ervan geen specifieke testgegevens beschikbaar met betrekking tot de reactiviteit.
- · 10.2 Chemische stabiliteit

datum van de druk: 30.05.2012

- · Thermische afbraak / te vermijden omstandigheden: Geen afbraak bij gebruik volgens voorschrift.
- 10.3 Mogelijke gevaarlijke reacties Geen gevaarlijke reacties bekend.
- · 10.4 Te vermijden omstandigheden Geen verdere relevante informatie verkrijgbaar.
- · 10.5 Chemisch op elkaar inwerkende materialen: Geen verdere relevante informatie verkrijgbaar.
- · 10.6 Gevaarlijke ontledingsproducten: Geen gevaarlijke ontbindingsprodukten bekend.

RUBRIEK 11: Toxicologische informatie

- · 11.1 Informatie over toxicologische effecten
- · Acute toxiciteit:
- · Primaire aandoening:
- *op de huid:* Prikkelt de huid en de slijmvliezen.
- \cdot aan het oog: Sterk prikkelend effect met gevaar voor ernstige oogbeschadiging.
- · Overgevoeligheid: Kan overgevoeligheid veroorzaken bij contact met de huid.

RUBRIEK 12: Ecologische informatie

- · 12.1 Toxiciteit
- · Aquatische toxiciteit: Vormt geen gevaar voor het milieu.
- · 12.2 Persistentie en afbreekbaarheid Niet relevant voor anorganische stoffen.
- · 12.3 Bioaccumulatie Geen verdere relevante informatie verkrijgbaar.
- · 12.4 Mobiliteit in de bodem Geen verdere relevante informatie verkrijgbaar.
- · Verdere ecologische informatie:
- Algemene informatie:

Waterbezwaarlijkheid (NL) 10: Kan in het aquatisch milieu op lange termijn schadelijke effecten veroorzaken.

Gevaar voor water klasse 1 (D) (Zelfclassificatie): gevaar voor water klein

Niet onverdund of in grote hoeveelheden lozen in grondwater, in oppervlaktewater of in de riolering.

- · 12.5 Resultaten van PBT- en zPzB-beoordeling
- · PBT: Voldoet niet aan de criteria voor indeling als PBT.
- · zPzB: Voldoet niet aan de criteria voor indeling als vPvB.
- · 12.6 Andere schadelijke effecten Geen verdere relevante informatie verkrijgbaar.

RUBRIEK 13: Instructies voor verwijdering

- · 13.1 Afvalverwerkingsmethoden
- · Aanbeveling: Mag niet tesamen met huisvuil gestort worden of in de riolering terechtkomen.
- Niet gereinigde verpakkingen:
- · Aanbeveling: Afvalverwijdering volgens overheidsbepalingen.

RUBRIEK 14: Informatie met betrekking tot het vervoer · 14.1 VN-nummer . · ADR, ADN, IMDG, IATA Niet van toepassing · 14.2 Juiste ladingnaam overeenkomstig de modelreglementen van de VN . · ADR, ADN, IMDG, IATA Niet van toepassing



Versienummer 1

Herziening van: 30.05.2012

Handelsnaam: Cebo drill-Grout (plus)

datum van de druk: 30.05.2012

	(Vervolg van blz. 5)
· 14.3 Transportgevarenklasse(n)	
· ADR, ADN, IMDG, IATA · klasse	Niet van toepassing
· 14.4 Verpakkingsgroep: · ADR, IMDG, IATA	Niet van toepassing
· 14.5 Milieugevaren: · Marine pollutant:	Neen
· 14.6 Bijzondere voorzorgen voor de gebruiker	Niet bruikbaar.
· 14.7 Vervoer in bulk overeenkomstig bijlage II bij MARPO 73/78 en de IBC-code	DL Niet bruikbaar.
· VN "Model Regulation":	-

RUBRIEK 15: Regelgeving

- · 15.1 Specifieke veiligheids-, gezondheids- en milieureglementen en -wetgeving voor de stof of het mengsel
- · Nationale voorschriften:
- · Gevaarklasse v. water: Waterbezwaarlijkheid (NL) 10: Saneringsinspanning A
- · 15.2 Chemischeveiligheidsbeoordeling: Een chemische veiligheidsbeoordeling is niet uitgevoerd.

RUBRIEK 16: Overige informatie

Deze gegevens zijn gebaseerd op de huidige stand van onze kennis. Zij beschrijven echter geen garantie van produkteigenschappen en vestigen geen contractuele rechtsbetrekking.

· Relevante zinnen

- H315 Veroorzaakt huidirritatie.
- H318 Veroorzaakt ernstig oogletsel.
- H335 Kan irritatie van de luchtwegen veroorzaken.
- R37/38 Irriterend voor de ademhalingswegen en de huid.
- R41 Gevaar voor ernstig oogletsel.
- Contact-persoon: Mr. M. van der Tempel

· Afkortingen en acroniemen:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

·* Gegevens die ten opzichte van de voorgaande versie zijn veranderd